

Infosafe No™ LPYT4

Issue Date : May 2014

ISSUED by PARCHEMN

Product Name : CONLIPT PATCH GREY OR WHITE

Classified as hazardous

## 1. Identification

**GHS Product Identifier** CONLIPT PATCH GREY OR WHITE

**Company Name** Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)

**Address** 7 Lucca Road Wyong  
NSW 2259 Australia

**Telephone/Fax Number** Tel: 02 4350 5000  
Fax: 02 4351 2024

**Emergency phone number** 0800 154 666 (available 24/7)

**Recommended use of the chemical and restrictions on use** Concrete patch repair for precast and tilt panels.

**Other Information** Distributed in New Zealand by:  
Concrete Plus  
23 Watts Road  
Sockburn  
New Zealand  
Tel: (03) 343 0090  
Fax: (03) 343 0202

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

[www.parchem.co.nz](http://www.parchem.co.nz)

## 2. Hazard Identification

**Classification of the substance or mixture** Classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand.  
Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

HSNO Classification:

6.1E (Inhalation - vapours, dusts or mists) - Substance that is acutely toxic  
6.3A - Substance that is irritating to the skin  
8.3A - Substance that is corrosive to ocular tissue  
6.7A - Substance that is known or presumed to be a human carcinogen  
6.9B (Repeated exposure) - Substance that is harmful to human target organs or systems

**Signal Word (s)** Danger

**Hazard Statement (s)** H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H333 May be harmful if inhaled.  
H350 May cause cancer.  
H373 May cause damage to organs through prolonged or repeated exposure by inhalation.

**Pictogram (s)** Corrosion, Exclamation mark, Health hazard

Infosafe No™ LPYT4

Issue Date : May 2014

ISSUED by PARCHEMN

Product Name : **CONLIPT PATCH GREY OR WHITE**

Classified as hazardous



**Precautionary statement – Prevention**

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe dust.  
 P264 Wash skin thoroughly after handling.  
 P280 Wear protective gloves/eye protection/face protection.  
 P281 Use personal protective equipment as required.

**Precautionary statement – Response**

GENERAL  
 P308+P313 IF exposed or concerned: Get medical advice/ attention.  
 P314 Get medical advice/attention if you feel unwell.  
 INHALATION  
 P304+P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.  
 P331 Do NOT induce vomiting.  
 SKIN  
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
 P332+P313 If skin irritation occurs: Get medical advice/ attention.  
 P362 Take off contaminated clothing and wash before re-use.  
 EYE  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P405 Store locked up.

**Precautionary statement – Storage**

**Precautionary statement – Disposal**

P501 In the case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Regulations 2001. This may also include any method of disposal that must be avoided. See Section 13 for disposal details.

### 3. Composition/information on ingredients

**Composition, information on ingredients** Product contains traces of chromium (VI). May produce an allergic reaction.

Ingredients	Name	CAS	Proportion
	Portland cement	65997-15-1	30-60 %
	Crystalline silica	14808-60-7	<5 %
	Calcium oxide (CaO)	1305-78-8	<5 %
	Ingredients determined not to be hazardous.		Balance

### 4. First-aid measures

<b>Inhalation</b>	If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.
<b>Ingestion</b>	Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.
<b>Skin</b>	Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.
<b>Eye contact</b>	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.
<b>First Aid Facilities</b>	Eyewash, safety shower and normal washroom facilities.
<b>Advice to Doctor</b>	Treat symptomatically.

Infosafe No™ LPYT4 Issue Date : May 2014 ISSUED by PARCHEMN

Product Name : **CONLIFT PATCH GREY OR WHITE**

Classified as hazardous

**Other Information** For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (0800 764 766)

## 5. Fire-fighting measures

**Suitable extinguishing media** Use appropriate fire extinguisher for surrounding environment.

**Hazards from Combustion Products** Under fire conditions this product may emit toxic and/or irritating fumes and gases.

**Specific hazards arising from the chemical** This product is non combustibile. However heating can cause expansion or decomposition leading to violent rupture of containers.

**Decomposition Temp.** Not available

**Precautions in connection with Fire** Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Increase ventilation. Evacuate all unprotected personnel. Wear sufficient respiratory protection and full protective clothing to prevent exposure. Sweep up material avoiding dust generation or dampen spilled material with water to avoid airborne dust, then transfer material to a suitable container. Wash surfaces well with soap and water. Seal all wastes in labelled plastic containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## 7. Handling and storage

**Precautions for Safe Handling** Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of dust in the work atmosphere. Avoid inhalation of dust, and skin or eye contact. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

**Conditions for safe storage, including any incompatibilities** Store in a cool, dry, well-ventilated area, out of direct sunlight and moisture. Store in labelled, corrosion-resistant containers. Keep containers tightly closed. Store away from acids, water and other incompatible materials. Have appropriate fire extinguishers available in and near the storage area. Ensure that storage conditions comply with applicable local and national regulations.

## 8. Exposure controls/personal protection

**Occupational exposure limit values** No exposure value assigned for this material by Occupational Safety and Health Service (OSH) of the New Zealand Department of Labour. However, the available exposure limits for ingredients are listed below:

New Zealand Occupational Safety and Health Service (OSH) Workplace Exposure Standards:

Substance	TWA		STEL		NOTICES
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	
Calcium carbonate	-	10	-	-	-
Quartz (crystalline silica)	-	0.2 (respirable dust)	-	-	-
Particulates, not otherwise classified	10 / 3 (inhalable/respirable dust)				

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Infosafe No™ LPYT4	Issue Date : May 2014	ISSUED by PARCHEMN
--------------------	-----------------------	--------------------

Product Name : **CONLIPT PATCH GREY OR WHITE**

Classified as hazardous

<b>Biological Limit Values</b>	No biological limit allocated.
<b>Appropriate engineering controls</b>	Provide sufficient ventilation to keep airborne levels below the exposure limits. Where dusts are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is required.
<b>Respiratory Protection</b>	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/particulate filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
<b>Eye Protection</b>	Safety glasses with side shields, goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
<b>Hand Protection</b>	Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
<b>Body Protection</b>	Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

## 9. Physical and chemical properties

<b>Appearance</b>	Powder
<b>Colour</b>	Grey or white
<b>Odour</b>	Not available
<b>Decomposition Temperature</b>	Not available
<b>Melting Point</b>	Not available
<b>Boiling Point</b>	Not applicable
<b>Solubility in Water</b>	Insoluble, but reacts slowly with water to cure.
<b>Specific Gravity</b>	0.60 (23°C)
<b>pH</b>	Not available
<b>Vapour Pressure</b>	Not applicable
<b>Vapour Density (Air=1)</b>	Not applicable
<b>Evaporation Rate</b>	Not available
<b>Odour Threshold</b>	Not available
<b>Viscosity</b>	Not available
<b>Partition Coefficient: n-octanol/water</b>	Not available
<b>Flash Point</b>	Not applicable
<b>Flammability</b>	Non-combustible
<b>Auto-Ignition Temperature</b>	Not applicable
<b>Explosion Limit - Upper</b>	Not available
<b>Explosion Limit - Lower</b>	Not available

## 10. Stability and reactivity

<b>Reactivity</b>	Reacts with incompatible material.
-------------------	------------------------------------

Infosafe No™ LPYT4	Issue Date : May 2014	ISSUED by PARCHEMN
--------------------	-----------------------	--------------------

Product Name : **CONLIPT PATCH GREY OR WHITE**

Classified as hazardous

<b>Chemical Stability</b>	Stable under normal conditions of storage and handling.
<b>Conditions to Avoid</b>	Extremes of temperature, moisture, dust accumulation and direct sunlight.
<b>Incompatible Materials</b>	Oxidising agents. Contact with water should be avoided. Wet portland cement is alkaline. As such, it is incompatible with acids, ammonium salts and aluminium.
<b>Hazardous Decomposition Products</b>	Thermal decomposition may result in the release of toxic and/or irritating fumes and gases.
<b>Possibility of hazardous reactions</b>	Contact with water will result in hydration producing (caustic) calcium hydroxide.
<b>Hazardous Polymerization</b>	Will not occur.

## 11. Toxicological Information

<b>Toxicology Information</b>	No toxicity data available for this product.
<b>Ingestion</b>	Ingestion of this product may irritate the gastric tract causing nausea and vomiting. May cause burns in the gastric tract.
<b>Inhalation</b>	May cause respiratory irritation. Inhalation of product dust can cause irritation of the nose, throat and respiratory system
<b>Skin</b>	Causes skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead to dermatitis.
<b>Eye</b>	Causes serious eye damage. Eye contact will cause stinging, blurring, tearing, severe pain and possible burns, necrosis, permanent damage and blindness.
<b>Respiratory sensitisation</b>	Not expected to be a respiratory sensitiser.
<b>Skin Sensitisation</b>	Not expected to be a skin sensitiser.
<b>Germ cell mutagenicity</b>	Not considered to be a mutagenic hazard.
<b>Carcinogenicity</b>	May cause cancer. Classified as a Known or presumed human carcinogen.  Crystalline Silica (respirable size $\leq 7 \mu\text{m}$ ) has been classified by the International Agency for Research on Cancer (IARC) as Carcinogenic to Humans (Group 1).
<b>Reproductive Toxicity</b>	Not considered to be toxic to reproduction.
<b>STOT-single exposure</b>	May cause respiratory irritation.
<b>STOT-repeated exposure</b>	May cause damage to organs through prolonged exposure if inhaled.
<b>Aspiration Hazard</b>	Not expected to be an aspiration hazard.
<b>Other Information</b>	Repeated exposure to respirable crystalline silica dust may lead to silicosis, or other serious delayed lung injury. The onset of silicosis is usually slow and lung damage may occur even when no symptoms or signs of ill-health have occurred. Silicosis can develop to a more serious degree even after exposure has ceased, and may also lead to other diseases including heart disease and scleroderma. Exposure by inhalation may aggravate pre-existing upper respiratory and lung disorders such as bronchitis, emphysema and asthma. Individuals using wet cement, mortar, grout or concrete could be at risk of developing cement dermatitis. Symptoms of exposure include itchy, tender, swollen, hot, cracked or blistering skin with the potential for sensitisation.

## 12. Ecological information

<b>Ecotoxicity</b>	Product may raise pH if it enters waterways.
<b>Persistence and degradability</b>	Not available
<b>Mobility</b>	Not available

Infosafe No™ LPYT4	Issue Date : May 2014	ISSUED by PARCHEMN
--------------------	-----------------------	--------------------

Product Name : **CONLIPT PATCH GREY OR WHITE**

Classified as hazardous

<b>Bioaccumulative Potential</b>	Not available
<b>Environmental Protection</b>	Prevent this material entering waterways, drains and sewers.

### 13. Disposal considerations

<b>Disposal Considerations</b>	<p><b>Product Disposal:</b> Product wastes are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. This product can be disposed through a licensed commercial waste collection service. Alternatively, the product can be mixed with water to enable it to cure to an inert solid that can be disposed in a licensed landfill facility. Personal protective clothing and equipment as specified in Section 8 of this SDS must be worn during handling and disposal of this product. The ventilation requirements as specified in the same section must also be followed, and the precautions given in Section 7 of this SDS regarding handling must also be followed.</p> <p>Do not dispose into the sewerage system. Do not discharge into drains or watercourses or dispose where ground or surface waters may be affected. In New Zealand, the disposal agency or contractor must comply with the New Zealand Hazardous Substances (Disposal) Regulations 2001. Further details regarding disposal can be obtained on the EPA New Zealand website under specific group standards.</p> <p><b>Container Disposal:</b> The container or packaging must be cleaned and rendered incapable of holding any substance. It can then be disposed of in a manner consistent with that of the substance it contained. In this instance the packaging can be disposed through a commercial waste collection service. Alternatively, the container or packaging can be recycled if the hazardous residues have been thoroughly cleaned or rendered non-hazardous. In New Zealand, the packaging (that may or may not hold any residual substance) that is lawfully disposed of by householders or other consumers through a public or commercial waste collection service is a means of compliance with regulations.</p>
--------------------------------	--

### 14. Transport information

<b>Transport Information</b>	<p>Not classified as Dangerous Goods for transport according to the NZS 5433:2012 Transport of Dangerous Goods on Land.</p> <p>Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.</p> <p>Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.</p>
<b>IMDG Marine pollutant</b>	No

### 15. Regulatory information

<b>National and or International Regulatory Information</b>	<p>Classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.</p> <p>Group Standard: Construction Products (Toxic [6.7A]) Group Standard 2006</p>
<b>HSNO Approval Number</b>	HSR002545

### 16. Other Information

<b>Date of preparation or last revision of SDS</b>	<p>SDS Reviewed: May 2014</p> <p>Supersedes: March 2010</p>
<b>Literature References</b>	<p>Workplace Exposure Standards and Biological Exposure Indices , Department of Labour , Health &amp; Safety.</p> <p>Transport of Dangerous goods on land NZS 5433.</p> <p>Preparation of Safety Data Sheets - Approved Code of Practice Under the HSNO Act 1996 (HSNO CoP 8-1 09-06).</p>

Infosafe No™ LPYT4

Issue Date : May 2014

ISSUED by PARCHEMN

Product Name : **CONLIPT PATCH GREY OR WHITE**

Classified as hazardous

**Contact Person/Point**

Assigning a hazardous substance to a group standard.  
American Conference of Industrial Hygienists (ACGIH).  
Technical Support: 1800 812 864

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.  
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.