



Page: 1 of 6

Product Name COVER-TEX BASE

Classified as hazardous

1. Identification

GHS Product Identifier COVER-TEX BASE

ldentifier

Company Name Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)

Address

7 Lucca Road Wyong NSW 2259 Australia Tel: 02 4350 5000

Fax: 02 4351 2024

Telephone/Fax Number

1800 638 556 (available 24/7)

Emergency phone number

Recommended use of the chemical and restrictions on use

Other Information

Recommended use of Stencil concrete base

This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the

workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

www.parchem.com.au

2. Hazard Identification

GHS classification of

the

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

substance/mixture

Not classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail. (7th edition)

Skin Corrosion/irritation, Category 2 Serious Eye Damage/irritation, Category 1

Specific Target Organ Toxicity, Single Exposure Category 3 (respiratory

irritation)

Signal Word (s)

Danger

Hazard Statement (s)

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Pictogram (s) Corrosion, Exclamation mark





Precautionary P102 Keep out of reach of children.

statement - P103 Read label before use.

Prevention P104 Read Safety Data Sheet before use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

Precautionary statement - Response

P101 If medical advice is needed, have product container or label at hand.
-This statement applies only where the substance is available to the general

public. P312 Call a POISON CENTER/doctor if you feel unwell.





Page: 2 of 6

Product Name COVER-TEX BASE

Classified as hazardous

INHALATION

P304+P340 IF INHALED: Remove to fresh air and keep at rest in a position

comfortable for breathing.

Store locked up.

EYES

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician

SKIN

P405

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P332+P313 If skin irritation occurs: Get medical advice/ attention

P362 Take off contaminated clothing and wash before re-use.

Precautionary statement – Storage Precautionary

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant

statement – Disposal

3. Composition/information on ingredients

Ingredients	Name	CAS	<u>Proportion</u>
	Quartz	14808-60-7	60-100 %
	Portland cement	65997-15-1	30-60 %
	Other ingredients determined not to be hazardous.		Balance
Other Information		le free cryst	alline silica in the form of quartz.

4. First-aid measures

Inhalation	If inhaled, remove from	contaminated area. App.	ly artificial respiration if not	
	breathing. Seek medical	attention.		

Ingestion
Do not induce vomiting. Wash out mouth with water. Seek medical attention.

Skin Wash affected area thoroughly with soap and water. Remove contaminated

clothing and wash before reuse or discard. Seek medical attention.

Eye contact

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical

attention.

Advice to Doctor Treat symptomatically.

Other Information For advice, contact a Poisons Information Centre (Phone eg Australia 131 126;

New Zealand 0800 764 766) or a doctor (at once).

5. Fire-fighting measures

Suitable Use appropriate fire extinguisher for surrounding environment.

extinguishing media Hazards from

This product is non combustible.

Combustion **Products**

The product is not combustible.

Specific hazards arising from the chemical Precautions in

Precautions inFire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full connection with Fire
protective clothing to prevent exposure to vapours, fumes, dust or products of

combustion.

6. Accidental release measures

Emergency Procedures

Evacuate all unprotected personnel. Wear sufficient respiratory protection and full protective clothing to prevent exposure. Sweep up material avoiding dust generation or dampen spilled material with water to avoid airborne dust, then transfer material to a suitable container. Wash surfaces well with soap and water. Seal all wastes in labelled plastic containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local





Page: 3 of 6

Product Name COVER-TEX BASE

Classified as hazardous

water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe Handling Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of dust in the work atmosphere. Avoid inhalation of dust, and skin or eye contact. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities. Store in a cool, dry, well-ventilated area, out of direct sunlight and moisture. Store in labelled, corrosion-resistant containers. Keep containers tightly closed. Store away from incompatible materials.

Conditions for safe storage, including any incompatabilities

8. Exposure controls/personal protection

Occupational exposure limit values

No exposure value assigned for this specific material by Safework, Australia. However, over-exposure to any chemical may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels. The available exposure limits for ingredients are listed below:

Safework, Australia Exposure Standards:

Substance TWA STEL NOTICES ppm mg/m³ ppm mg/m³

Quartz - 0.1 - - - Dust (inspirable fraction) - 10 - - - -

TWA (Time Weighted Average): The average airborne concentration of a

particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal

eight-hour workday.

Biological Limit Values No biological limit allocated.

Appropriate engineering controls

Good ventilation adequate to maintain the concentration below exposure standards is required. The use of a local exhaust ventilation system (drawing dusts away from workers breathing zone) is recommended. If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable particulate filter should be used. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection

Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications. Wear gloves of impervious material. Final choice of appropriate gloves will

Hand Protection

wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance. Suitable protective workwear should be worn when working with this material,

Body Protection

e.g. cotton overalls buttoned at neck and wrist.

9. Physical and chemical properties

Appearance Odourless off white powder

Melting PointNot availableBoiling PointNot applicable

Solubility in Water Slight
Specific Gravity 1.0 @23°C
pH Not available





Page: 4 of 6

Infosafe No™ LPW9H Issue Date : February 2012 ISSUED by PARCHEMC

Product Name COVER-TEX BASE

Classified as hazardous

Vapour Pressure **Vapour Density**

Not applicable Not available

(Air=1)

Odour Threshold Not available Viscosity Not applicable Partition Coefficient: Not available

n-octanol/water

Flash Point Not applicable

Non-combustible solid. Flammability

Auto-Ignition

Not applicable

Temperature

Not applicable Flammable Limits -

Lower

Not applicable Flammable Limits -

Upper

10. Stability and reactivity

Chemical Stability Stable under normal conditions of storage and handling

Keep free of moisture **Conditions to Avoid**

Incompatible

Materials

Not available

Hazardous **Decomposition** Thermal decomposition may result in the release of toxic and/or irritating

fumes.

Products

Will not occur. Hazardous

Polymerization

11. Toxicological Information

Toxicology Information No toxicity data is available for this product.

Inhalation

Irritating to respiratory system. Inhalation of dust will cause irritation of the nose, throat and respiratory system. Breathing of dust may cause shortness

of breath, and aggravate asthma and inflammatory or fibrotic pulmonary

disease. Inhalation may cause delayed lung disease. Acute aspiration may cause drying and irritation of the respiratory tract, cough, dyspnea, sneezing, vomiting, cyanosis, and pulmonary edema which may be delayed by up to several

hours.

Ingestion of this product may irritate the gastric tract causing nausea and Ingestion

vomiting.

Irritating to skin resulting in redness and itching. Repeated exposure may Skin

cause skin dryness and cracking.

Causes eye damage. Eye contact will cause stinging, blurring, tearing, severe Eye

pain and possible burns, necrosis, permanent damage and blindness.

Reproductive

Toxicity

Not considered to be toxic to reproduction.

Carcinogenicity This product contains crystalline silica (quartz). However free respirable crystalline silica is estimated to be less than 0.1%. Crystalline silica has been classified by International Agency for Research on Cancer (IARC) as

carcinogenic to humans by inhalation (Group 1).

Not expected to be a skin sensitiser. **Skin Sensitisation**

Aspiration Hazard Not expected to be an aspiration hazard.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

This product contains crystalline silica (quartz). However free respirable crystalline silica is estimated to be less than 0.1%. Respirable crystalline silica (particle size smaller than 7 micrometres), is regarded as a danger to health by prolonged exposure through inhalation. Repeated, prolonged or





Page: 5 of

Infosafe No™ LPW9H Issue Date :February 2012 ISSUED by PARCHEMC

Product Name COVER-TEX BASE

Classified as hazardous

concentrated inhalation of respirable crystalline silica dust may lead to silicosis, a serious lung disease. The onset of silicosis is usually slow and lung damage may occur even when no symptoms or signs of ill-health have occurred. Silicosis can develop to a more serious degree even after exposure has ceased, and may also lead to other diseases including heart disease and scleroderma.

Germ cell

Not considered to be a mutagenic hazard.

mutagenicity

Not expected to be a respiratory sensitiser. Respiratory

sensitisation

12. Ecological information

Not available **Ecotoxicity** Not available

Persistence and degradability

Mobility Not available Bioaccumulative Not available

Potential

Avoid contaminating waterways. **Environmental**

Protection

13. Disposal considerations

Dispose of waste according to applicable local and national regulations. **Disposal**

Considerations

14. Transport information

Road and Rail Transport (ADG Code): **Transport**

Not classified as Dangerous Goods according to the Australian Code for the Information

Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International

Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air

Transport Association (IATA) Dangerous Goods Regulations for transport by air.

IMDG Marine

pollutant

15. Regulatory information

Classified as Hazardous according to the Globally Harmonised System of Regulatory Information

Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia

Not classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule Not Scheduled

All constituents of this material are listed on the Australian Inventory of AICS (Australia)

Chemical Substances (AICS).

16. Other Information

Date of preparation or last revision of

SDS Reviewed: February 2012, Supersedes: March 2007

SDS

Contact Person/Point Technical Support: 1800 812 864

... End Of MSDS...

© Copyright ACOHS Pty Ltd





Page: 6 of 6

Product Name COVER-TEX BASE

Classified as hazardous

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.