

Infosafe No™ LPT4B	Issue Date : September 2012	ISSUED by PARCHEMC
--------------------	-----------------------------	--------------------

Product Name : **DURAFLOOR M HARDENER**

Classified as hazardous

1. Identification

GHS Product Identifier	DURAFLOOR M HARDENER
Company Name	Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)
Address	7 Lucca Road Wyong NSW 2259 Australia
Telephone/Fax Number	Tel: 02 4350 5000 Fax: 02 4351 2024
Emergency phone number	1800 638 556 (available 24/7)
Recommended use of the chemical and restrictions on use	Room temperature curing agent for epoxy resin floor coating system.
Other Information	<p>This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.</p> <p>If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.</p> <p>www.parchem.com.au</p>

2. Hazard Identification

GHS classification of the substance/mixture	<p>Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.</p> <p>Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)</p> <p>Eye Damage/Irritation: Category 1 Skin Corrosion/Irritation: Category 1A Acute Toxicity - Inhalation: Category 4 Acute Toxicity - Oral: Category 4 Sensitization - Skin: Category 1 Toxic to Reproduction: Category 2 Hazardous to the Aquatic Environment - Acute Hazard: Category 2 Hazardous to the Aquatic Environment - Long-Term Hazard: Category 2</p>
Signal Word (s)	Danger
Hazard Statement (s)	<p>H302 Harmful if swallowed.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H318 Causes serious eye damage.</p> <p>H332 Harmful if inhaled.</p> <p>H361 Suspected of damaging fertility or the unborn child.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p>
Pictogram (s)	Corrosion, Environment



Precautionary statement – Prevention	<p>P201 Obtain special instructions before use.</p> <p>P202 Do not handle until all safety precautions have been read and understood.</p> <p>P260 Do not breathe dust/fume/gas/mist/vapours/spray.</p> <p>P264 Wash skin thoroughly after handling.</p>
---	---

Infosafe No™ LPT4B	Issue Date : September 2012	ISSUED by PARCHEMC
--------------------	-----------------------------	--------------------

Product Name : **DURAFLOOR M HARDENER**

Classified as hazardous

Precautionary statement – Response

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
GENERAL:
P310 Immediately call a POISON CENTER or doctor/physician.
P391 Collect spillage.
INGESTION:
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
SKIN:
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.
INHALATION:
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
EYES
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.

Precautionary statement – Storage

Precautionary statement – Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Paratertiarybutylphenol	98-54-4	<50 %
	1,3-Benzenedimethanamine	1477-55-0	<30 %
	Trimethylhexamethylenediamine	25620-58-0	>25 %
	Nonylphenol	25154-52-3	<5 %
	Ingredients determined not to be hazardous.		Balance

4. First-aid measures

Inhalation	If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.
Ingestion	Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.
Skin	Remove all contaminated clothing. Wash gently and thoroughly with water and non-abrasive soap for 15 minutes. Ensure contaminated clothing is washed before re-use or discard. Seek medical attention.
Eye contact	If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.
First Aid Facilities	Eye wash fountain, safety shower and normal washroom facilities.
Advice to Doctor	Treat symptomatically.
Other Information	For advice in an emergency, contact a Poisons Information Centre (Phone Australia 13 1126; New Zealand 0800 POISON / 0800 764 766) or a doctor at once.

5. Fire-fighting measures

Suitable extinguishing media	Use carbon dioxide, dry chemical or foam.
-------------------------------------	---

Infosafe No™ LPT4B	Issue Date : September 2012	ISSUED by PARCHEMC
--------------------	-----------------------------	--------------------

Product Name : **DURAFLOOR M HARDENER**

Classified as hazardous

Unsuitable Extinguishing Media	Do not use water jets.
Hazards from Combustion Products	Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide, ammonia gas, nitric acid, nitrosamines, aldehydes and oxides of nitrogen.
Specific hazards arising from the chemical	Combustible liquid. This product will readily burn under fire conditions.
Hazchem Code	2X
Decomposition Temp.	Not available
Precautions in connection with Fire	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes, dust or products of combustion.

6. Accidental release measures

Emergency Procedures	Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.
-----------------------------	--

7. Handling and storage

Precautions for Safe Handling	Corrosive and combustible liquid. Attacks skin and eyes. May produce severe burns. Wear suitable protective clothing, gloves and eye/face protection when mixing and using. Use in designated areas with adequate ventilation. Avoid breathing in vapours, mist or fumes. Keep containers closed when not in use. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands after handling, and before eating, drinking, smoking or using the toilet facilities. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Prevent the build up of mists or vapours in the work atmosphere. Keep containers sealed when not in use.
Conditions for safe storage, including any incompatibilities	Corrosive and combustible liquid for storage and handling purposes. Keep tightly closed in a dry, cool, well-ventilated area, out of direct sunlight. Provide a catch-tank in a bunded area. Avoid sparks, flames and other ignition sources. Store away from incompatible materials. Do NOT pressurise, cut, heat or weld containers as they may contain hazardous residues. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the store-room reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids and AS 3780-2008 The storage and handling of corrosive substances. Reference should also be made to all Local, State and Federal regulations.

8. Exposure controls/personal protection

Occupational exposure limit values	No exposure standards have been established for this material by Safe Work, Australia. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.
Biological Limit Values	No biological limit allocated.
Appropriate engineering controls	Good ventilation adequate to maintain the concentration below exposure standards is required. The use of a local exhaust ventilation system is recommended. If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn.

Infosafe No™ LPT4B	Issue Date : September 2012	ISSUED by PARCHEMC
--------------------	-----------------------------	--------------------

Product Name : **DURAFLOOR M HARDENER**

Classified as hazardous

Respiratory Protection	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable filter should be used. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
Eye Protection	Safety glasses with side shields, goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	Suitable protective workwear should be worn when working with this material, e.g. cotton overalls buttoned at neck and wrist.

9. Physical and chemical properties

Appearance	Amber coloured mobile liquid
Odour	Fishy amine odour
Decomposition Temperature	Not available
Melting Point	Not available
Boiling Point	230°C (100kPa)
Solubility in Water	<1%
Specific Gravity	0.974
pH	11
Vapour Pressure	<1.36 kPa (21°C)
Vapour Density (Air=1)	Not available
Evaporation Rate	Not available
Odour Threshold	Not available
Viscosity	Not available
Volatile Component	Expected to be low at 100°C
Partition Coefficient: n-octanol/water	Not available
Flash Point	>93°C (Closed cup)
Flammability	Non-flammable
Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not applicable
Flammable Limits - Upper	Not applicable

10. Stability and reactivity

Reactivity	Reacts with incompatibles.
Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Heat, flames and other sources of ignition.
Incompatible Materials	Avoid contact with strong oxidisers, Mineral acids (i.e. sulfuric, phosphoric, etc.), Organic acids (i.e. acetic acid, citric acid etc.). Oxidizing Agents (i.e. perchlorates, nitrates etc.). Reactive metals (i.e. sodium, calcium,

Infosafe No™ LPT4B

Issue Date : September 2012

ISSUED by PARCHEMC

Product Name : DURAFLOOR M HARDENER

Classified as hazardous

<p>Hazardous Decomposition Products Possibility of hazardous reactions</p>	<p>zinc etc.). Sodium or Calcium Hypochlorite, or epoxy resins except in controlled conditions. CAUTION! N-Nitrosamines, many of which are known to be potent carcinogens may be formed when the product comes in contact with nitrous acid, nitrites or atmospheres with high nitrous oxide concentrations. Product slowly corrodes copper, aluminum, zinc and galvanized surfaces. Reaction with peroxides may result in violent decomposition of peroxide possibly creating an explosion. Materials reactive with hydroxyl compounds. Nitrites, nitrosating agents. A reaction accompanied by large heat release occurs when the product is mixed with acids. Heat generated may be sufficient to cause vigorous boiling crating a hazard due to splashing or splattering of hot material.</p>
<p>Hazardous Polymerization</p>	<p>Thermal decomposition may result in the release of toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide, ammonia gas, nitric acid, nitrosamines, aldehydes and oxides of nitrogen.</p>
<p>Possibility of hazardous reactions</p>	<p>Most strong alkalis and bases react with inorganic and organic acids to form salts. They can also react with some metals liberating hydrogen gas. These reactions may be rapid and sometimes liberate much heat. They can also decompose many organic materials such as esters, in a reaction called hydrolysis.</p>
<p>Hazardous Polymerization</p>	<p>Will not occur.</p>

11. Toxicological Information

<p>Toxicology Information Ingestion</p>	<p>No toxicity data is available for this material.</p>
<p>Inhalation</p>	<p>Harmful if swallowed. Ingestion of this product will cause severe chemical burns to the mouth, throat and stomach, resulting in extensive tissue damage and severe pain. Damage to oesophagus and stomach may be fatal.</p>
<p>Skin</p>	<p>Harmful if inhaled. Inhalation of mists or vapours will result in respiratory irritation and possible harmful corrosive effects including lesions of the nasal septum, pulmonary edema, pneumonitis and emphysema.</p>
<p>Eye</p>	<p>Causes severe burns. Corrosive to the skin. Skin contact can cause redness, itching, irritation, severe pain and chemical burns with resultant tissue destruction. Repeated or prolonged skin contact may lead to dermatitis effects.</p>
<p>Respiratory sensitisation</p>	<p>Causes serious eye damage. Eye contact will cause stinging, blurring, tearing, severe pain and possible permanent corneal damage. Burns to the eye may cause blindness. Contact of undiluted product with the eyes or skin quickly causes severe irritation and pain and may cause burns, necrosis and permanent injury.</p>
<p>Skin Sensitisation</p>	<p>Not expected to be a respiratory sensitiser.</p>
<p>Germ cell mutagenicity</p>	<p>May cause an allergic skin reaction.</p>
<p>Carcinogenicity</p>	<p>Not considered to be a mutagenic hazard.</p>
<p>Reproductive Toxicity</p>	<p>Not considered to be a carcinogenic hazard.</p>
<p>STOT-single exposure</p>	<p>Suspected of damaging fertility or the unborn child. Classified as a suspected human reproductive or developmental toxicant.</p>
<p>STOT-repeated exposure</p>	<p>Not expected to cause toxicity to a specific target organ.</p>
<p>Aspiration Hazard</p>	<p>Not expected to cause toxicity to a specific target organ through prolonged or repeated exposure.</p>
<p>Aspiration Hazard</p>	<p>Not expected to be an aspiration hazard.</p>

12. Ecological information

<p>Ecotoxicity</p>	<p>Toxic to aquatic life with long lasting effects.</p>
<p>Persistence and degradability</p>	<p>Not available</p>
<p>Mobility</p>	<p>Not available</p>
<p>Bioaccumulative Potential</p>	<p>Not available</p>

Infosafe No™ LPT4B	Issue Date : September 2012	ISSUED by PARCHEMC
--------------------	-----------------------------	--------------------

Product Name : **DURAFLOOR M HARDENER**

Classified as hazardous

Environmental Protection Prevent this material entering waterways, drains and sewers.

13. Disposal considerations

Disposal Considerations Dispose of waste according to applicable local and national regulations.

14. Transport information

Transport Information Australian Road and Rail:
This material is classified as a Class 8 (Corrosive Substances) Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).
Class 8 Dangerous Goods are incompatible in a placard load with any of the following:
- Class 1, Explosives
- Division 4.3, Dangerous When Wet Substances
- Division 5.1, Oxidising Agents
- Division 5.2, Organic Peroxides
- Class 6, Toxic or Infectious Substances, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids
- Class 7, Radioactive Substances
and are incompatible with food and food packaging in any quantity.
Strong acids must not be loaded in the same freight container or on the same vehicle with strong alkalis. Packing Group I and II acids and alkalis should be considered as strong.

Marine Transport (IMO/IMDG):
Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
N No.: 2735
Proper Shipping Name: AMINES, LIQUID, N.O.S. (Contains 1,3-Benzenedimethanamine, Trimethyhexamethylenediamine)
Class: 8
Packaging Group: II
EMS No.: F-A, S-B
Special Provision: 274

Air Transport (ICAO/IATA):
Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
UN No.: 2735
Proper Shipping Name: Amines, liquid, corrosive, n.o.s. (Contains 1,3-Benzenedimethanamine, Trimethyhexamethylenediamine)
Class: 8
Packaging Group: II
Label: Corrosive
Packaging Instructions (passenger & cargo): 851
Packaging Instructions (cargo only): 855
Special Provision: A3 A803

U.N. Number

2735

UN proper shipping name AMINES, LIQUID, CORROSIVE, N.O.S. - (Contains 1,3-Benzenedimethanamine, Trimethyhexamethylenediamine)

Transport hazard class(es) 8

Hazchem Code 2X

Packing Group II

EPG Number 8A1

IERG Number 36

IMDG Marine pollutant Yes

Infosafe No™ LPT4B	Issue Date : September 2012	ISSUED by PARCHEMC
--------------------	-----------------------------	--------------------

Product Name : **DURAFLOOR M HARDENER**

Classified as hazardous

15. Regulatory information

Regulatory Information	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
Poisons Schedule	Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). S5

16. Other Information

Date of preparation or last revision of SDS	SDS Reviewed: September 2012 Supersedes: September 2007
Contact Person/Point	Technical Support: 1800 812 864 ...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.