

Infosafe No™ LPXB5	Issue Date : March 2013	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **DURAFLOOR V ANTI-SKID HARDENER**

Classified as hazardous

## 1. Identification

<b>GHS Product Identifier</b>	DURAFLOOR V ANTI-SKID HARDENER
<b>Company Name</b>	Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)
<b>Address</b>	7 Lucca Road Wyong NSW 2259 Australia
<b>Telephone/Fax Number</b>	Tel: 02 4350 5000 Fax: 02 4351 2024
<b>Emergency phone number</b>	1800 638 556 (available 24/7)
<b>Recommended use of the chemical and restrictions on use</b>	Hardener component for heavy-duty, flow applied anti-skid surface dressing.
<b>Other Information</b>	<p>This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.</p> <p>If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.</p> <p><a href="http://www.parchem.com.au">www.parchem.com.au</a></p>

## 2. Hazard Identification

<b>GHS classification of the substance/mixture</b>	<p>Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.</p> <p>Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)</p> <p>Acute Toxicity - Oral, Category 4          Acute Toxicity - Dermal, Category 4          Skin Corrosion/irritation, Category 1          Serious eye damage/irritation, Category 1          Skin Sensitiser, Category 1          Toxic to Reproduction: Category 2          Hazardous to the Aquatic Environment - Long-Term Hazard, Category 3</p>
<b>Signal Word (s)</b>	Danger
<b>Hazard Statement (s)</b>	<p>H302 Harmful if swallowed.</p> <p>H312 Harmful in contact with skin.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H361 Suspected of damaging fertility or the unborn child.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p>
<b>Pictogram (s)</b>	Corrosion, Exclamation mark, Health hazard



<b>Precautionary statement – Prevention</b>	<p>P102 Keep out of reach of children.</p> <p>P103 Read label before use.</p> <p>P260 Do not breathe dust/fume/gas/mist/vapours/spray.</p> <p>P264 Wash skin thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p>
---	---

Infosafe No™ LPXB5 Issue Date : March 2013 ISSUED by PARCHEMC

Product Name : **DURAFLOOR V ANTI-SKID HARDENER**

Classified as hazardous

**Precautionary statement – Response**

P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment. -This statement does not apply where this is the intended use.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

**GENERAL:**

P101 If medical advice is needed, have product container or label at hand. -This statement applies only where the substance is available to the general public.

P310 Immediately call a POISON CENTER or doctor/physician.

**INGESTION:**

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

**INHALATION:**

P304+P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

**EYES:**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**SKIN:**

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

**Precautionary statement – Storage**

**Precautionary statement – Disposal**

P501 Dispose of contents/container to an approved waste disposal plant.

### 3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Isophorone diamine	2855-13-2	20-<60 %
	Anthracene oil	90640-80-5	30-<60 %
	Polyoxypropylene diamine	9046-10-0	0-<20 %
	Trimethylhexamethylenediamine	25620-58-0	0-<10 %
	Ingredients determined not to be hazardous.		Balance

### 4. First-aid measures

<b>Inhalation</b>	If inhaled, remove affected person from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.
<b>Ingestion</b>	Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.
<b>Skin</b>	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Ensure contaminated clothing is washed before re-use or discard. Seek immediate medical attention.
<b>Eye contact</b>	If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.
<b>First Aid Facilities</b>	Eye wash, safety shower and normal washroom facilities.
<b>Advice to Doctor</b>	Treat symptomatically.
<b>Other Information</b>	For advice, contact a Poisons Information Centre (Phone eg Australia 131 126; New Zealand 0800 764 766) or a doctor (at once).

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Use carbon dioxide, dry chemical, foam or water mist.
-------------------------------------	---

Infosafe No™ LPXB5	Issue Date : March 2013	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **DURAFLOOR V ANTI-SKID HARDENER**

Classified as hazardous

<b>Hazards from Combustion Products</b>	Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide, oxides of nitrogen and ammonia gas.
<b>Specific hazards arising from the chemical</b>	Combustible liquid. This product will burn if exposed to fire.
<b>Hazchem Code</b>	2X
<b>Decomposition Temp.</b>	>200°C
<b>Precautions in connection with Fire</b>	Fire-fighters should wear full protective clothing and self contained breathing apparatus (SCBA) operated in positive pressure mode. Water spray may be used to keep fire exposed containers cool.

## 6. Accidental release measures

<b>Emergency Procedures</b>	Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.
-----------------------------	--

## 7. Handling and storage

<b>Precautions for Safe Handling</b>	Corrosive and combustible liquid. Attacks skin and eyes. May produce severe burns. Wear suitable protective clothing, gloves and eye/face protection when mixing and using. Use in designated areas with adequate ventilation. Avoid breathing in vapours, mist or fumes. Keep containers closed when not in use. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands after handling, and before eating, drinking, smoking or using the toilet facilities. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous. Prevent the build up of mists or vapours in the work atmosphere. Keep containers sealed when not in use.
<b>Conditions for safe storage, including any incompatibilities</b>	Corrosive and combustible liquid for storage and handling purposes. Keep tightly closed in a dry, cool, well-ventilated area, out of direct sunlight. Provide a catch-tank in a bunded area. Avoid sparks, flames and other ignition sources. Store away from incompatible materials. Do NOT pressurise, cut, heat or weld containers as they may contain hazardous residues. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the store-room reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids and AS 3780-2008 The storage and handling of corrosive substances. Reference should also be made to all Local, State and Federal regulations.

## 8. Exposure controls/personal protection

<b>Occupational exposure limit values</b>	No exposure standards have been established for this material by Safework, Australia. However, as with all chemicals, exposure should be kept to the lowest possible levels.
<b>Biological Limit Values</b>	No biological limit allocated.
<b>Appropriate engineering controls</b>	Provide sufficient ventilation to keep airborne levels below the exposure limits. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is required.
<b>Respiratory Protection</b>	If engineering controls are not effective in controlling airborne exposure then respiratory protective equipment should be used suitable for protecting against airborne contaminants. Final choice of appropriate breathing

Infosafe No™ LPXB5	Issue Date : March 2013	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **DURAFLOOR V ANTI-SKID HARDENER**

Classified as hazardous

	protection is dependent upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices.
<b>Eye Protection</b>	Safety glasses with side shields, goggles or full-face shield as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
<b>Hand Protection</b>	Wear gloves of impervious material, such as laminated film. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
<b>Body Protection</b>	Suitable workwear should be worn to protect personal clothing, eg cotton overalls buttoned at neck and wrist. When large quantities are handled the use of plastic aprons and rubber boots is recommended.

## 9. Physical and chemical properties

<b>Appearance</b>	Dark coloured liquid
<b>Odour</b>	Amine odour
<b>Decomposition Temperature</b>	>200°C
<b>Melting Point</b>	10°C (Isophorone diamine)
<b>Boiling Point</b>	>200°C
<b>Solubility in Water</b>	Negligible
<b>Specific Gravity</b>	1.02 (23°C)
<b>pH</b>	Not available
<b>Vapour Pressure</b>	0.15 mmHg (Isophorone diamine)
<b>Vapour Density (Air=1)</b>	Not available
<b>Evaporation Rate</b>	Not available
<b>Odour Threshold</b>	Not available
<b>Viscosity</b>	Not available
<b>Partition Coefficient: n-octanol/water</b>	Not available
<b>Flash Point</b>	>110°C
<b>Flammability</b>	Non flammable
<b>Auto-Ignition Temperature</b>	Not available
<b>Flammable Limits - Lower</b>	Not available
<b>Flammable Limits - Upper</b>	Not available

## 10. Stability and reactivity

<b>Reactivity</b>	Reacts with incompatibles.
<b>Chemical Stability</b>	Stable under normal conditions of storage and handling.
<b>Conditions to Avoid</b>	Heat, flames and other sources of ignition.
<b>Incompatible Materials</b>	Strong oxidising agents, strong acids, halogens and halogenated organic compounds.

Infosafe No™ LPXB5

Issue Date : March 2013

ISSUED by PARCHEMC

Product Name : **DURAFLOOR V ANTI-SKID HARDENER**

Classified as hazardous

<b>Hazardous Decomposition Products</b>	Thermal decomposition may result in the release of toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide, oxides of nitrogen and ammonia gas.
<b>Hazardous Polymerization</b>	Will not occur.

## 11. Toxicological Information

<b>Toxicology Information</b>	No toxicity data available for this material.
<b>Ingestion</b>	Harmful if swallowed. Ingestion of this product may cause nausea, vomiting, abdominal pain and chemical burns to the mouth, throat and stomach.
<b>Inhalation</b>	Inhalation of mist or vapour will result in respiratory irritation and possible harmful corrosive effects including burns, lesions of the nasal septum, pulmonary edema, and scarring of tissue.
<b>Skin</b>	Causes severe skin burns. Corrosive to the skin. Skin contact can cause redness, itching, irritation, severe pain and chemical burns with resultant tissue destruction. Skin contact will cause redness, itching, irritation, severe pain and chemical burns with resultant tissue destruction. Harmful in contact with skin. Prolonged or repeated skin contact may cause defatting leading to skin burns and skin sensitisation.
<b>Eye</b>	Causes eye damage. Eye contact will cause stinging, blurring, tearing, severe pain and possible burns, necrosis, permanent damage and blindness.
<b>Respiratory sensitisation</b>	May act as a sensitiser producing asthma-like (by inhalation) in sensitised individuals. Those sensitised may react to concentration levels that do not affect other, non sensitised, people.
<b>Skin Sensitisation</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	Not considered to be a mutagenic hazard.
<b>Carcinogenicity</b>	Not considered to be a carcinogenic hazard.
<b>Reproductive Toxicity</b>	Suspected of damaging fertility or the unborn child. Classified as a suspected human reproductive or developmental toxicant.
<b>STOT-single exposure</b>	Not expected to cause damage to organs.
<b>STOT-repeated exposure</b>	Not expected to cause damage to organs through repeated or prolonged exposure.
<b>Aspiration Hazard</b>	Not expected to be an aspiration hazard.

## 12. Ecological information

<b>Ecotoxicity</b>	Harmful to aquatic life with long lasting effects.
<b>Persistence and degradability</b>	Not available
<b>Mobility</b>	Not available
<b>Bioaccumulative Potential</b>	Not available
<b>Environmental Protection</b>	Prevent this material entering waterways, drains and sewers.

## 13. Disposal considerations

<b>Disposal Considerations</b>	The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.
--------------------------------	--

## 14. Transport information

<b>Transport Information</b>	<p>Road and Rail Transport:</p> <p>This material is classified as a Class 8 (Corrosive Substances) Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).</p> <p>Class 8 Dangerous Goods are incompatible in a placard load with any of the following:</p> <ul style="list-style-type: none"> <li>- Class 1, Explosives</li> <li>- Division 4.3, Dangerous When Wet Substances</li> </ul>
------------------------------	--

Infosafe No™ LPXB5	Issue Date : March 2013	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **DURAFLOOR V ANTI-SKID HARDENER**

Classified as hazardous

- Division 5.1, Oxidising Agents
  - Division 5.2, Organic Peroxides
  - Class 6, Toxic or Infectious Substances, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids
  - Class 7, Radioactive Substances
- and are incompatible with food and food packaging in any quantity.  
Strong acids must not be loaded in the same freight container or on the same vehicle with strong alkalis. Packing Group I and II acids and alkalis should be considered as strong.

Marine Transport (IMO/IMDG):  
Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.  
UN No.: 2735  
Proper Shipping Name: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (Contains Isophorone diamine and Polyoxypropylene diamine)  
Class: 8  
Packaging Group: III  
EMS No.: F-A, S-B  
Special provisions: 223, 274

Air Transport (ICAO/IATA):  
Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.  
UN No: 2735  
Proper Shipping Name: Polyamines, liquid, corrosive, n.o.s. (Contains Isophorone diamine and Polyoxypropylene diamine)  
Class: 8  
Packaging Group: III  
Label: Corrosive  
Packing Instruction: 852 (For passenger and cargo aircraft)  
Packing Instruction: 856 (For cargo aircraft only)  
Special provisions: A3, A803  
2735

<b>U.N. Number</b>	2735
<b>UN proper shipping name</b>	AMINES, LIQUID, CORROSIVE, N.O.S. - (Contains Isophorone diamine and Polyoxypropylene diamine)
<b>Transport hazard class(es)</b>	8
<b>Hazchem Code</b>	2X
<b>Packing Group</b>	III
<b>EPG Number</b>	8A1
<b>IERG Number</b>	36
<b>IMDG Marine pollutant</b>	No

## 15. Regulatory information

<b>Regulatory Information</b>	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
<b>Poisons Schedule</b>	Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP). S5
<b>AICS (Australia)</b>	All components of this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempted.

## 16. Other Information

<b>Date of preparation or last revision of SDS</b>	SDS Reviewed: March 2013 Supersedes: May 2008
--	--

Infosafe No™ LPXB5

Issue Date : March 2013

ISSUED by PARCHEMC

Product Name : **DURAFLOOR V ANTI-SKID HARDENER**

Classified as hazardous

**Literature** Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.  
**References** Standard for the Uniform Scheduling of Medicines and Poisons.  
Australian Code for the Transport of Dangerous Goods by Road & Rail.  
Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.  
Workplace exposure standards for airborne contaminants, Safe work Australia.  
American Conference of Industrial Hygienists (ACGIH).  
Globally Harmonised System of classification and labelling of chemicals.  
**Contact Person/Point** Technical Support: 1800 812 864  
...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.  
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.