

Infosafe No™ LQ130 Issue Date : May 2012 ISSUED by PARCHEMC

Product Name : **EMER-PROOF NON-POROUS AND SMOOTH SURFACE PRIMER**

Not classified as hazardous

1. Identification

GHS Product Identifier EMER-PROOF NON-POROUS AND SMOOTH SURFACE PRIMER

Company Name Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)

Address 7 Lucca Road Wyong
NSW 2259 Australia

Telephone/Fax Number Tel: 02 4350 5000
Fax: 02 4351 2024

Emergency phone number 1800 638 556 (available 24/7)

Recommended use of the chemical and restrictions on use Primer coat.

Other Information This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.
If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

www.parchem.com.au

2. Hazard Identification

GHS classification of the substance/mixture Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia
Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

3. Composition/information on ingredients

| Ingredients | Name | CAS | Proportion |
|-------------|--|-----------|------------|
| | Sodium hydroxide | 1310-73-2 | 0-0.2 % |
| | Styrene Monomer | 100-42-5 | 0-0.1 % |
| | Ingredients determined not to be hazardous, including water. | | Balance |

4. First-aid measures

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.

Ingestion Do NOT induce vomiting. Wash out mouth with water. If symptoms develop seek medical attention.

Skin Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. If symptoms develop seek medical attention.

Eye contact If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and persist seek medical attention.

First Aid Facilities Eye wash and normal washroom facilities.

Advice to Doctor Treat symptomatically.

Other Information For advice in an emergency, contact a Poisons Information Centre (Phone Australia 13 1126; New Zealand 0800 POISON / 0800 764 766) or a doctor at once.

Infosafe No™ LQ130

Issue Date : May 2012

ISSUED by PARCHEMC

Product Name : **EMER-PROOF NON-POROUS AND SMOOTH SURFACE PRIMER**

Not classified as hazardous

5. Fire-fighting measures

| | |
|---|---|
| Suitable extinguishing media | Use carbon dioxide, dry chemical, foam, water fog or water mist. |
| Hazards from Combustion Products | Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases, including carbon monoxide and carbon dioxide. |
| Specific hazards arising from the chemical | This product is not flammable, however, following evaporation of the aqueous component, residue may burn if ignited. |
| Precautions in connection with Fire | Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes or products of combustion. Water spray may be used to cool down heat-exposed containers. |

6. Accidental release measures

| | |
|-----------------------------|---|
| Emergency Procedures | Spilled polymer emulsion is very slippery. Use care to avoid falls. Wear appropriate personal protective equipment and clothing to minimise exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations. |
|-----------------------------|---|

7. Handling and storage

| | |
|---|---|
| Precautions for Safe Handling | Use in a well ventilated area. Build up of mists or vapours in the atmosphere must be prevented. Wear appropriate protective equipment to prevent inhalation, skin and eye contact. Keep containers closed when not in use. Ensure a high level of personal hygiene is maintained when using the product. |
| Conditions for safe storage, including any incompatibilities | Store in a cool, dry well-ventilated area away from heat, oxidising agents, foodstuffs, and clothing and out of direct sunlight. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Protect from freezing. |

8. Exposure controls/personal protection

| | |
|---|---|
| Occupational exposure limit values | No exposure value assigned for this specific material by Safe Work, Australia. However, the available exposure limits for ingredients are listed below: |
|---|---|

Safe Work Australia Exposure Standards:

| Substance | TWA | | STEL | | Notices |
|------------------|-----|---------------------|------|-------------------|---------|
| | ppm | mg/m ³ | ppm | mg/m ³ | |
| Styrene Monomer | 50 | 213 | 100 | 426 | |
| Sodium hydroxide | - | 2 (Peak Limitation) | - | - | - |

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Peak Limitation: A ceiling concentration which should not be exceeded over a measurement period which should be as short as possible but not exceeding 15 minutes.

| | |
|--------------------------------|--------------------------------|
| Biological Limit Values | No biological limit allocated. |
|--------------------------------|--------------------------------|

| | |
|---|---|
| Appropriate engineering controls | Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used. |
| Respiratory Protection | If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable organic vapour filter may be necessary. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances. |

| | | |
|--------------------|-----------------------|--------------------|
| Infosafe No™ LQ130 | Issue Date : May 2012 | ISSUED by PARCHEMC |
|--------------------|-----------------------|--------------------|

Product Name : **EMER-PROOF NON-POROUS AND SMOOTH SURFACE PRIMER**

Not classified as hazardous

| | |
|------------------------|--|
| Eye Protection | Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications. |
| Hand Protection | Where skin contact is likely to be prolonged or repeated, impervious rubber gloves such as neoprene, nitrile rubber or PVC are recommended. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance. |
| Body Protection | Suitable workwear, e.g. cotton overalls buttoned at neck and wrist should be worn. |

9. Physical and chemical properties

| | |
|----------------------------------|---------------------------|
| Form | Liquid |
| Appearance | Paste |
| Colour | Violet |
| Odour | Not available |
| Melting Point | Not available |
| Boiling Point | 100°C (water) |
| Solubility in Water | Completely miscible |
| Specific Gravity | 1.3 |
| pH | Not available |
| Vapour Pressure | 23 hPa (at 20°C) |
| Vapour Density (Air=1) | Heavier than air |
| Evaporation Rate | Slower than butyl acetate |
| Odour Threshold | Not available |
| Viscosity | Not available |
| Volatile Component | Not available |
| Flash Point | Not applicable |
| Flammability | Not flammable |
| Auto-Ignition Temperature | Not applicable |
| Flammable Limits - Lower | Not applicable |
| Flammable Limits - Upper | Not applicable |
| Kinematic Viscosity | Not available |
| Dynamic Viscosity | 2000 mPa.s |

10. Stability and reactivity

| | |
|---|--|
| Reactivity | Reacts with incompatible materials. |
| Chemical Stability | Stable under normal conditions. |
| Conditions to Avoid | Extremes of temperature. |
| Incompatible Materials | Strong acids and oxidising agents. |
| Hazardous Decomposition Products | Thermal decomposition and combustion produce noxious fumes containing oxides of carbon and oxides of nitrogen. |

| | | |
|--------------------|-----------------------|--------------------|
| Infosafe No™ LQ130 | Issue Date : May 2012 | ISSUED by PARCHEMC |
|--------------------|-----------------------|--------------------|

Product Name : **EMER-PROOF NON-POROUS AND SMOOTH SURFACE PRIMER**

Not classified as hazardous

Hazardous Polymerization Will not occur.

11. Toxicological Information

| | |
|----------------------------------|--|
| Toxicology Information | Toxicity data not available for this product. |
| Ingestion | Ingestion may cause irritation to the gastric tract, with stomach pain, nausea and vomiting. |
| Inhalation | Inhalation of product vapours may cause irritation of the nose, throat and respiratory system. |
| Skin | Repeated or prolonged contact may result in slight skin irritation. |
| Eye | May be irritating to eyes. The symptoms may include redness, itching and tearing. |
| Respiratory sensitisation | Not expected to be a respiratory sensitiser. |
| Skin Sensitisation | Not expected to be a skin sensitiser. |
| Germ cell mutagenicity | Not considered to be a mutagenic hazard. |
| Carcinogenicity | Not considered to be a carcinogenic hazard. |
| Reproductive Toxicity | Not considered to be toxic to reproduction. |
| STOT-single exposure | Not considered to cause toxicity to a specific target organ. |
| STOT-repeated exposure | Not considered to cause toxicity to a specific target organ. |
| Aspiration Hazard | Not expected to be an aspiration hazard. |

12. Ecological information

| | |
|--------------------------------------|--|
| Ecotoxicity | No ecological data are available for this material. |
| Persistence and degradability | Not available |
| Mobility | Not available |
| Bioaccumulative Potential | Not available |
| Environmental Protection | Prevent this material entering waterways, drains and sewers. |

13. Disposal considerations

| | |
|--------------------------------|--|
| Disposal Considerations | Dispose of waste according to applicable local and national regulations. |
|--------------------------------|--|

14. Transport information

| | |
|------------------------------|---|
| Transport Information | Road and Rail Transport (ADG Code): Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition). |
| | Marine Transport (IMO/IMDG): Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea. |
| | Air Transport (ICAO/IATA): Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air. |
| IMDG Marine pollutant | No |

15. Regulatory information

| | |
|-------------------------------|---|
| Regulatory Information | Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and |
|-------------------------------|---|

Infosafe No™ LQ130 Issue Date : May 2012 ISSUED by PARCHEMC

Product Name : **EMER-PROOF NON-POROUS AND SMOOTH SURFACE PRIMER**

Not classified as hazardous

Poisons Schedule

Safety regulations, Australia.
Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Not Scheduled

Australia (AICS)

All components of this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempted.

16. Other Information

Date of preparation or last revision of SDS SDS Created: May 2012

Contact Person/Point Technical Support: 1800 812 864
...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.