



Page: 1 of 7

Infosafe No™ LPT80 Issue Date :April 2014 ISSUED by PARCHEMC

Product Name FOSROC CONBEXTRA EP40 HARDENER

Classified as hazardous

1. Identification

GHS Product

FOSROC CONBEXTRA EP40 HARDENER

Identifier Company Name

Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)

Address 7 Lucca Road Wyong

NSW 2259 Australia

 Telephone/Fax
 Tel:
 02
 4350
 5000

 Number
 Fax:
 02
 4351
 2024

Emergency phone 1800 638 556 (available 24/7)

number

Recommended use of the chemical and restrictions on use

Other Information

Hardener component of epoxy grout.

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

www.parchem.com.au

2. Hazard Identification

Classification of the substance or mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Classification:

Acute Toxicity - Oral: Category 4 Acute Toxicity - Dermal: Category 4 Eye Damage/Irritation: Category 1 Skin Corrosion/Irritation: Category 1 Sensitization - Skin: Category 1

Signal Word (s) Danger

Hazard Statement (s) H3

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

Pictogram (s)

Corrosion, Exclamation mark





Precautionary statement –

Prevention

P260 Do not breathe fume/mist/vapours.

P264 Wash contaminated skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.





2 of 7 Page:

LPT80 Infosafe No™ Issue Date : April 2014 ISSUED by PARCHEMC

FOSROC CONBEXTRA EP40 HARDENER Product Name

Classified as hazardous

Precautionary statement - Response INHALATION

P405 Store locked up.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P310 Immediately call a POISON CENTER or doctor/physician.

INGESTION

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310 Immediately call a POISON CENTER or doctor/physician.

SKIN

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower. P310 Immediately call a POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

EYE

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Precautionary

information

statement - Storage Precautionary

Supplemental

statement - Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

The information under this heading is not mandatory under WHS Regulations. It is provided as information on other GHS hazard classes and categories and/or environmental hazards that are outside the scope of the WHS Regulations.

Harmful to aquatic life with long lasting effects.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion	
	Benzyl alcohol	100-51-6	30-50 %	
	Isophoronediamine	2855-13-2	30-50 %	
	Phenol,	90-72-2	10-<30 %	
	2,4,6-tris[(dimethylar	ni		
	no)methyl]-			
	Salicylic acid	69-72-7	<5 %	
	1-Propanamine, 3-	919-30-2	<1 %	
	(triethoxysilyl)-			

4. First-aid measures

Eye contact

Inhalation If in	nhaled, remove	affected person	from contaminated	area. Apply	artificial
------------------	----------------	-----------------	-------------------	-------------	------------

respiration if not breathing. Seek medical attention.

Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate Ingestion

medical attention.

Remove all contaminated clothing immediately. Wash gently and thoroughly with Skin

water and non-abrasive soap for 15 minutes. Ensure contaminated clothing is

washed before re-use or discard. Seek immediate medical attention.

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the

Poisons Information Centre or a doctor, or for at least 15 minutes. Seek

immediate medical attention.

First Aid Facilities Eyewash, safety shower and normal washroom facilities.

Advice to Doctor Treat symptomatically.

For advice in an emergency, contact a Poisons Information Centre (Phone: Other Information

Australia 131 126) or a doctor at once.

5. Fire-fighting measures

Carbon dioxide, dry chemical, foam, water fog or water mist. Suitable

extinguishing media

Unsuitable Do not use water jet.

Extinguishing Media

Under fire conditions this product may emit toxic and/or irritating fumes, Hazards from smoke and gases including carbon monoxide, carbon dioxide, oxides of nitrogen Combustion

and ammonia. **Products**





3 of 7 Page:

Infosafe No™ LPT80 Issue Date : April 2014 ISSUED by PARCHEMC

FOSROC CONBEXTRA EP40 HARDENER Product Name

Classified as hazardous

Specific hazards arising from the

Combustible liquid. This product will burn if exposed to fire.

chemical **Hazchem Code** 2X

>200°C Decomposition Temp.

Precautions in connection with Fire Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to

vapours or fumes. Water spray may be used to cool down heat-exposed

containers. Fight fire from safe location. This product should be prevented

from entering drains and watercourses.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Avoid inhalation of vapours and mists, and skin or eye contact. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

7. Handling and storage

Precautions for Safe Handling

Corrosive and combustible liquid. Attacks skin and eyes. May produce severe burns. Wear suitable protective clothing, gloves and eye/face protection when mixing and using. Use in designated areas with adequate ventilation. Avoid breathing in vapours, mist or fumes. Keep containers closed when not in use. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands after handling, and before eating, drinking, smoking or using the toilet facilities. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous. Prevent the build up of mists or vapours in the work atmosphere. containers sealed when not in use.

Conditions for safe storage, including any incompatabilities

Corrosive and combustible liquid for storage and handling purposes. Keep tightly closed in a dry, cool, well-ventilated area, out of direct sunlight. Provide a catch-tank in a bunded area. Avoid sparks, flames and other ignition sources. Store away from incompatible materials. Do NOT pressurise, cut, heat or weld containers as they may contain hazardous residues. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the store-room reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids and AS 3780-2008 The storage and handling of corrosive substances. Reference should also be made to all Local, State and Federal regulations.

Storage Regulations

Classified as a Class C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940.

8. Exposure controls/personal protection

Occupational exposure limit values

No exposure standards have been established for the mixture. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.

Biological Limit Values

No biological limits allocated.

Appropriate engineering controls

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering

controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation

requirements.

Respiratory **Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable organic vapour filter should be





4 of 7 Page:

Infosafe No™ LPT80 Issue Date : April 2014 ISSUED by PARCHEMC

FOSROC CONBEXTRA EP40 HARDENER Product Name

Classified as hazardous

used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary

changes for individual circumstances.

Eve Protection Safety glasses with side shields, goggles or full-face shield as appropriate

should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for

Industrial Applications.

Hand Protection Wear gloves of impervious material such as laminated film, nitrile, neoprene.

> Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments

undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective

gloves - Selection, use and maintenance.

Footwear Wear safety footwear. Final choice will vary according to individual

circumstances. Reference should be made to AS/NZS 2210.1: 2010 Safety, protective and occupational footwear-Guide to selection, care and use. Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist

is recommended. Chemical resistant apron is recommended where large quantities

are handled.

9. Physical and chemical properties

Low viscosity liquid. Appearance

Colour Light brown

Characteristic amine odour. Odour

>200°C

Decomposition

Temperature

Body Protection

Not available **Melting Point Boiling Point** Not available

Solubility in Water Insoluble Specific Gravity 1.0 (23°C) pН Not available

Vapour Pressure 0.15 mmHg (for Benzyl alcohol)

Vapour Density

Not available

(Air=1)

Evaporation Rate Not available **Odour Threshold** Not available Viscosity Not available Not available **Partition Coefficient:**

n-octanol/water

>100°C (PMCC) Flash Point

Flammability Combustible liquid

Auto-Ignition Temperature

Not available

Flammable Limits -

Not available

Lower

Not available Flammable Limits -

Upper

10. Stability and reactivity

Reactivity Reacts with incompatibles.

Chemical Stability Stable under normal conditions of storage and handling.

Conditions to Avoid Heat, flames and other sources of ignition.





5 of 7 Page:

Infosafe No™ LPT80 Issue Date : April 2014 ISSUED by PARCHEMC

FOSROC CONBEXTRA EP40 HARDENER Product Name

Classified as hazardous

Incompatible

Strong oxidizing agents, acids and bases.

Materials

Thermal decomposition may result in the release of toxic and/or irritating Hazardous fumes and gases including carbon monoxide, carbon dioxide, oxides of nitrogen Decomposition

and ammonia. **Products** Will not occur. Hazardous

Polymerization

Acute Toxicity -

Dermal

Inhalation

11. Toxicological Information

No toxicity data available for this material. The available acute toxicity Toxicology

data for the ingredient/s is/are given below. Information

Isophoronediamine: **Acute Toxicity - Oral**

LD50 (Rat): >1,030 mg/kgFor Benzyl alcohol: LD50 (Rat): 1,230 mg/kg For Salicylic acid: LD50 (Rat): 891 mg/kg

For Phenol, 2,4,6-Tris(dimethylaminomethyl):

LD50 (Rat): 1200 mg/kg For Benzyl alcohol: LD50 (Rabbit) 2000 mg/kg For Salicylic acid:

LD50 (Rabbit): >10 g/kg

Ingestion Harmful if swallowed. Ingestion of this product will cause nausea, vomiting,

abdominal pain and chemical burns to the mouth, throat and stomach. Inhalation of mist or vapour will result in respiratory irritation and possible harmful corrosive effects including burns, lesions of the nasal

septum, pulmonary edema, and scarring of tissue.

Skin Harmful in contact with skin. Causes burns. Corrosive to the skin. Skin

contact can cause redness, itching, irritation, severe pain and chemical burns

with resultant tissue destruction. May cause an allergic skin reaction.

Eye Causes serious eye damage. Eye contact will cause stinging, blurring, tearing,

severe pain and possible burns, necrosis, permanent damage and blindness.

Not expected to be a respiratory sensitiser. Respiratory

sensitisation

Skin Sensitisation May cause an allergic skin reaction

Isophoronediamine:

Testing demonstrated that isophorone diamine is a strong skin sensitiser (15

out of 15 test rabbit were sensitised). Not considered to be a mutagenic hazard.

Germ cell mutagenicity

Carcinogenicity Not considered to be a carcinogenic hazard.

Reproductive

Not considered to be toxic to reproduction.

Toxicity

STOT-single Not expected to cause toxicity to a specific target organ.

exposure

STOT-repeated Not expected to cause toxicity to a specific target organ.

exposure

Aspiration Hazard Not expected to be an aspiration hazard.

Other Information For Benzyl alcohol:

Standard Draize Test: 100 mg/24H moderate reaction

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Persistence and degradability

Not available

Not available Mobility

Potential

Bioaccumulative Not available





6 of 7 Page:

Infosafe No™ LPT80 Issue Date : April 2014 ISSUED by PARCHEMC

FOSROC CONBEXTRA EP40 HARDENER Product Name

Classified as hazardous

Environmental Protection

Do not discharge this material into waterways, drains and sewers.

13. Disposal considerations

Disposal Considerations

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

14. Transport information

Transport Information

Road and Rail (Australia):

This material is classified as Dangerous Goods Class 8 Corrosive Substances according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).

Class 8 Dangerous Goods are incompatible in a placard load with any of the following:

- Class 1, Explosives
- Division 4.3, Dangerous When Wet Substances
- Division 5.1, Oxidising substances
- Division 5.2, Organic Peroxides
- Class 6, Toxic or Infectious Substances, if the Class 6 dangerous goods are cyanides and the Class 8 dangerous goods are acids
- Class 7, Radioactive Substances

and are incompatible with food and food packaging in any quantity. Strong acids must not be loaded in the same freight container or on the same vehicle with strong alkalis. Packing Group I and II acids and alkalis should be considered as strong.

Marine Transport (IMO/IMDG):

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

UN No.: 2735

Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS

ISOPHORONEDIAMINE)

Class: 8

Packaging Group: III EMS No.: F-A, S-B

Special Provision(s): 223 274

Air Transport (ICAO/IATA):

Classified as Dangerous Goods by the criteria of the International Air

Transport Association (IATA) Dangerous Goods Regulations for transport by air.

UN No.: 2735

Proper Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. (CONTAINS

AMINES, LIQUID, CORROSIVE, N.O.S. - (CONTAINS ISOPHORONEDIAMINE)

ISOPHORONEDIAMINE)

Class: 8

Packaging Group: III Hazard Label: Corrosive

Packaging Instructions (passenger & cargo): 852

Packaging Instructions (cargo only): 856

Special Provision(s): A3 A803

U.N. Number

UN proper shipping

name

Transport hazard

class(es) Hazchem Code

2X **Packing Group** III **EPG Number** 8A1 **IERG Number** 36





Page: 7 of 7

Infosafe No™ LPT80 Issue Date : April 2014 ISSUED by PARCHEMC

FOSROC CONBEXTRA EP40 HARDENER Product Name

Classified as hazardous

IMDG Marine pollutant

15. Regulatory information

Classified as Hazardous according to the Globally Harmonised System of Regulatory

Classification and labelling of Chemicals (GHS) including Work, Health and Information

Safety regulations, Australia

Classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule

AICS (Australia) All components of this product are listed on the Australian Inventory of

Chemical Substances (AICS) or exempted.

16. Other Information

SDS Reviewed: April 2014 Date of preparation

No

Supersedes: August 2004, June 2009 or last revision of

SDS Literature

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons. References

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens,

restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants, Safe work Australia.

American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals.

Contact Person/Point Technical Support: 1800 812 864

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.