

Infosafe No™ LPT45	Issue Date : March 2014	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------


Product Name : **FOSROC DEKGUARD E2000**

Classified as hazardous

1. Identification

GHS Product Identifier	FOSROC DEKGUARD E2000
Company Name	Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)
Address	7 Lucca Road Wyong NSW 2259 Australia
Telephone/Fax Number	Tel: 02 4350 5000 Fax: 02 4351 2024
Emergency phone number	1800 638 556 (available 24/7)
Recommended use of the chemical and restrictions on use	A decorative and protective coating for concrete structures.
Other Information	<p>This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.</p> <p>If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.</p> <p>www.parchem.com.au</p>

2. Hazard Identification

Classification of the substance or mixture	<p>Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.</p> <p>Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition).</p>
Signal Word (s)	<p>Classification: Sensitization - Skin: Category 1 Warning</p>
Hazard Statement (s)	H317 May cause an allergic skin reaction.
General Precautionary Statement (s)	P101 If medical advice is needed, have product container or label at hand.
Pictogram (s)	<p>P102 Keep out of reach of children. P103 Read label before use. Exclamation mark</p>
Precautionary statement – Prevention	<p></p> <p>P261 Avoid breathing mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection.</p>
Precautionary statement – Response	<p>P302+P352 IF ON SKIN: Wash with plenty of soap and water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P363 Wash contaminated clothing before reuse.</p>
Precautionary statement – Disposal	P501 Dispose of contents/container to an approved waste disposal plant.

3. Composition/information on ingredients

Infosafe No™ LPT45	Issue Date : March 2014	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

 Product Name : **FOSROC DEKGUARD E2000**

Classified as hazardous

Ingredients	Name	CAS	Proportion
	2-(2-butoxyethoxy) ethanol	112-34-5	<10 %
	Propylene glycol	57-55-6	<1 %
	Diuron	330-54-1	<1 %
	5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	<0.06 %
	Other ingredients determined not to be hazardous including water		To 100%

4. First-aid measures

Inhalation	If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.
Ingestion	Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.
Skin	Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.
First Aid Facilities	Eyewash and normal washroom facilities.
Advice to Doctor	Treat symptomatically.
Other Information	For advice in an emergency, contact a Poisons Information Centre (Phone Australia 13 11 26) or a doctor at once.

5. Fire-fighting measures

Suitable extinguishing media	Use appropriate fire extinguisher for surrounding environment.
Hazards from Combustion Products	Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including acrylic monomers, carbon monoxide and carbon dioxide.
Specific hazards arising from the chemical	The product is not combustible, but under fire conditions, the non-aqueous components may decompose and/or burn after the water component evaporates.
Decomposition Temp.	Not available
Precautions in connection with Fire	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.
	Note: The polymer may adhere securely to most surfaces when spilt. It may be scraped off after softening with hot water and removed with a high pressure water jet.

7. Handling and storage

Infosafe No™ LPT45	Issue Date : March 2014	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **FOSROC DEKGUARD E2000**

Classified as hazardous

Precautions for Safe Handling	Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry, well-ventilated area, out of direct sunlight. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.
Corrosiveness	Not corrosive to aluminium.

8. Exposure controls/personal protection

Occupational exposure limit values Safe Work, Australia Exposure Standards:

Substance	TWA		STEL		NOTICES
	ppm	mg/m ³	ppm	mg/m ³	
Propylene glycol vapour & particulate	150	474	-	-	-
Diuron	-	10	-	-	-

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Biological Limit Values No biological limits allocated.

Appropriate engineering controls Provide sufficient ventilation to keep airborne levels below the exposure limits or as low as possible. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. Refer to relevant regulations for further information concerning ventilation requirements.

Respiratory Protection If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/ mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations.

Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection Wear laminated film, nitrile, neoprene or other suitable, impervious gloves. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

9. Physical and chemical properties

Appearance	Pigmented coating.
Colour	Not available
Odour	Acrylic
Decomposition Temperature	Not available

Infosafe No™ LPT45	Issue Date : March 2014	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **FOSROC DEKGUARD E2000**

Classified as hazardous

Melting Point	Not available
Boiling Point	100°C (Approximate) (water)
Solubility in Water	Completely miscible.
Specific Gravity	1.27 (23°C)
pH	Not available
Vapour Pressure	24 mmHg (25°C)
Vapour Density (Air=1)	Not available
Evaporation Rate	<1 (n-Butyl acetate=1)
Viscosity	Not available
Partition Coefficient: n-octanol/water	Not available
Flash Point	Not applicable
Flammability	Non-combustible liquid
Auto-Ignition Temperature	Not applicable
Flammable Limits - Lower	Not applicable
Flammable Limits - Upper	Not applicable

10. Stability and reactivity

Reactivity	Reacts with incompatible materials.
Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Extremes of temperature and direct sunlight
Incompatible Materials	Strong oxidising agents, strong acids and bases.
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes, smoke and gases including: acrylic monomers, carbon monoxide and carbon dioxide.
Hazardous Polymerization	Will not occur.

11. Toxicological Information

Toxicology Information	No toxicity data available for this material.
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Inhalation	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
Skin	May be irritating to skin. The symptoms may include redness, itching and swelling. May cause an allergic skin reaction.
Eye	May be irritating to eyes. The symptoms may include redness, itching and tearing.
Respiratory sensitisation	Not expected to be a respiratory sensitiser.
Skin Sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Not considered to be a carcinogenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.

Infosafe No™ LPT45	Issue Date : March 2014	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **FOSROC DEKGUARD E2000**

Classified as hazardous

STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not expected to be an aspiration hazard.

12. Ecological information

Ecotoxicity	No ecological data available for this material.
Persistence and degradability	Not available
Mobility	Not available
Bioaccumulative Potential	Not available
Environmental Protection	Prevent this material entering waterways, drains and sewers.

13. Disposal considerations

Disposal Considerations	The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.
--------------------------------	--

14. Transport information

Transport Information	<p>Australia: Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)</p> <p>Marine Transport (IMO/IMDG): Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.</p> <p>Air Transport (ICAO/IATA): Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.</p>
IMDG Marine pollutant	No

15. Regulatory information

Regulatory Information	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
Poisons Schedule	Not Scheduled
AICS (Australia)	All components of this product are listed on the Australian Inventory of Chemical Substances (AICS) or otherwise are in compliance with NICNAS requirements.

16. Other Information

Date of preparation or last revision of SDS	<p>SDS Reviewed: March 2014</p> <p>Supersedes: August 2004, June 2009, June 2011</p>
Literature References	<p>Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice. Standard for the Uniform Scheduling of Medicines and Poisons.</p> <p>Australian Code for the Transport of Dangerous Goods by Road & Rail.</p> <p>Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.</p> <p>Workplace exposure standards for airborne contaminants, Safe work Australia.</p> <p>American Conference of Industrial Hygienists (ACGIH).</p> <p>Globally Harmonised System of classification and labelling of chemicals.</p>
Contact Person/Point	<p>Technical Support: 1800 812 864</p> <p>...End Of MSDS...</p>

Infosafe No™ LPT45	Issue Date : March 2014	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **FOSROC DEKGUARD E2000**

Classified as hazardous

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.