

Infosafe No™ LPT5U	Issue Date : April 2014	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------



Product Name : **FOSROC NITOFLOL FC130 BASE**

Classified as hazardous

1. Identification

GHS Product Identifier	FOSROC NITOFLOL FC130 BASE
Company Name	Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)
Address	7 Lucca Road Wyong NSW 2259 Australia
Telephone/Fax Number	Tel: 02 4350 5000 Fax: 02 4351 2024
Emergency phone number	1800 638 556 (available 24/7)
Recommended use of the chemical and restrictions on use	Base component of water based epoxy flooring system.
Other Information	<p>This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.</p> <p>If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.</p> <p>www.parchem.com.au</p>

2. Hazard Identification

Classification of the substance or mixture	<p>Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.</p> <p>Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)</p>
Signal Word (s)	<p>Skin Corrosion/irritation, Category 2 Serious eye damage/irritation, Category 2 Skin Sensitiser, Category 1 Warning</p>
Hazard Statement (s)	<p>H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.</p>
Pictogram (s)	<p>Exclamation mark, Environment</p> <div style="display: flex; justify-content: space-around; align-items: center;">   </div>
Precautionary statement – Prevention	<p>P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection.</p>
Precautionary statement – Response	<p>SKIN P302+P352 IF ON SKIN: Wash with plenty of soap and water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention P362 Take off contaminated clothing and wash before re-use. EYE P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.</p>

Infosafe No™ LPT5U	Issue Date : April 2014	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

 Product Name : **FOSROC NITOFLOL FC130 BASE**

Classified as hazardous

Precautionary statement – Disposal Supplemental information

Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 OTHER
 P391 Collect spillage.
 P501 Dispose of contents/container to an approved waste disposal plant.

The information under this heading is not mandatory under WHS Regulations. It is provided as information on other GHS hazard classes and categories and/or environmental hazards that are outside the scope of the WHS Regulations.

H411 Toxic to aquatic life with long lasting effects.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Bisphenol A - epichlorohydrin C12-C14 Alkyl glycidyl ether	25068-38-6	>60 %
	Bisphenol F epoxy resin	68609-97-2	10-<30 %
	Ingredients determined not to be hazardous	9003-36-5	10-<30 %
			Balance

4. First-aid measures

Inhalation	If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.
Ingestion	Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.
Skin	Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. Seek medical attention.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.
First Aid Facilities	Eye wash, safety shower and normal washroom facilities.
Advice to Doctor	Treat symptomatically.
Other Information	For advice in an emergency, contact a Poisons Information Centre (Phone Australia 13 1126) or a doctor at once.

5. Fire-fighting measures

Suitable extinguishing media	Use carbon dioxide, dry chemical or foam. Alcohol resistant foam is preferred. If not available normal foam can be used.
Unsuitable Extinguishing Media	Do not use water jet.
Hazards from Combustion Products	Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon dioxide, carbon monoxide and halogenated compounds.
Specific hazards arising from the chemical	Combustible liquid. This product will readily burn under fire conditions.
Hazchem Code	•3Z
Decomposition Temp.	Not available
Precautions in connection with Fire	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. Accidental release measures

Infosafe No™ LPT5U	Issue Date : April 2014	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **FOSROC NITOFLOL FC130 BASE**

Classified as hazardous

Personal precautions, protective equipment and emergency procedures	Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.
--	--

7. Handling and storage

Precautions for Safe Handling	Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Avoid inhalation of vapours and mists, and skin or eye contact. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry well-ventilated area away from heat, sources of ignition, oxidising agents, foodstuffs, and clothing and out of direct sunlight. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Do NOT pressurise, cut, heat or weld containers as they may contain hazardous residues. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all State and Federal regulations.
Storage Regulations	Classified as a Class C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS1940.
Storage Temperatures	2-40°C

8. Exposure controls/personal protection

Occupational exposure limit values	No exposure standards have been established for the mixture. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.
Biological Limit Values	No biological limits allocated.
Appropriate engineering controls	Use with good general ventilation. If mists or vapours are produced, local exhaust ventilation should be used.
Respiratory Protection	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable organic vapour filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
Eye Protection	Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear gloves of impervious material such as butyl rubber or Ethyl Vinyl Alcohol Laminate (EVAL) (> 8 hours breakthrough time). Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

9. Physical and chemical properties

Appearance	Clear liquid.
-------------------	---------------

Infosafe No™ LPT5U	Issue Date : April 2014	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **FOSROC NITOFLOL FC130 BASE**

Classified as hazardous

Colour	Light yellow
Odour	Characteristic epoxy odour.
Decomposition Temperature	Not available
Melting Point	Not available
Boiling Point	>200°C
Solubility in Water	Insoluble (20°C)
Specific Gravity	1.12 (23°C)
pH	7 (1:1 in water) (approximate)
Vapour Pressure	0.00001 kPa (0.000075 mmHg) (room temperature)
Vapour Density (Air=1)	Not available
Evaporation Rate	Not available
Odour Threshold	Not available
Viscosity	600-900 mPa.s (25°C)
Partition Coefficient: n-octanol/water	Not available
Flash Point	>155°C (DIN 51758, Pensky Martens Closed Cup)
Flammability	Combustible liquid
Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not available
Flammable Limits - Upper	Not available

10. Stability and reactivity

Reactivity	Reacts with incompatibles.
Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Heat, flames and other ignition sources.
Incompatible Materials	Strong acids, bases and oxidising agents.
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes and gases including carbon dioxide, carbon monoxide and halogenated compounds.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.

11. Toxicological Information

Toxicology Information	No toxicity data are available for this specific product. The available data for the ingredients are as follows:
Acute Toxicity - Oral	For Bisphenol A - epichlorohydrin: LD50 (Rat): >2,000 mg/kg
Acute Toxicity - Dermal	For Bisphenol A - epichlorohydrin: LD50 (Rabbit): >2,000 mg/kg
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Inhalation	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
Skin	Causes skin irritation. Skin contact will cause redness, itching and swelling. Repeated exposure may cause skin dryness and cracking and may lead

Infosafe No™ LPT5U	Issue Date : April 2014	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **FOSROC NITOFLOL FC130 BASE**

Classified as hazardous

Eye	to dermatitis. May cause an allergic skin reaction. Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.
Respiratory sensitisation	Not expected to be a respiratory sensitiser.
Skin Sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Not considered to be a carcinogenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause damage to organs.
STOT-repeated exposure	Not expected to cause damage to organs through repeated or prolonged exposure.
Aspiration Hazard	Not expected to be an aspiration hazard.

12. Ecological information

Ecotoxicity	Toxic to aquatic life with long lasting effects.
Persistence and degradability	Not available
Mobility	Not available
Bioaccumulative Potential	Not available
Environmental Protection	Do not discharge this material into waterways, drains and sewers.
Acute Toxicity - Fish	LC50 (Rainbow trout): 2.4 mg/L/96h
Acute Toxicity - Daphnia	LC50 (Daphnia magna straus 1820) 3.6 mg/L/24h

13. Disposal considerations

Disposal Considerations	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.
--------------------------------	--

14. Transport information

Transport Information	<p>Road and Rail Transport: This material is classified as a Class 9 (Miscellaneous Dangerous Goods) dangerous Goods according to The Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition). Class 9 Dangerous Goods are incompatible in a placard load with any of the following: - Class 1, Explosives (when the class 9 substance is a fire risk substance), - Division 5.1, Oxidizing agents (when the class 9 substance is a fire risk substance), and - Division 5.2, Organic peroxides (when the class 9 substance is a fire risk substance). Note: Special Provision AU01 Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in: a) packagings; b) IBCs; or c) any other receptacle not exceeding 500 Kg(L).</p> <p>Marine Transport (IMO/IMDG): Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea. UN No.: 3082</p>
------------------------------	---

Infosafe No™ LPT5U	Issue Date :April 2014	ISSUED by PARCHEMC
--------------------	------------------------	--------------------

Product Name : **FOSROC NITOFLOL FC130 BASE**

Classified as hazardous

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Contains Bisphenol A Epichlorohydrin)
DG Class: 9
Packaging Group: III
EMS No.: F-A, S-F
Special provisions: 274, 335

Air Transport (ICAO/IATA):
Classified as Dangerous Goods by the criteria of the International Air
Transport Association (IATA) Dangerous Goods Regulations for transport by
air.
UN No: 3082
Proper Shipping Name: : Environmentally hazardous substance, liquid, n.o.s.
(Contains Bisphenol A Epichlorohydrin)
Class: 9
Packing Group: III
Label: Miscellaneous
Packing Instruction: 964 (For passenger and cargo aircraft)
Packing Instruction: 964 (For cargo aircraft only)
Special provisions: A97, A158

U.N. Number

3082

UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. - (Contains Bisphenol A Epichlorohydrin)

Transport hazard class(es)

9

Hazchem Code

•3Z

Packing Group

III

EPG Number

9C1

IERG Number

47

IMDG Marine pollutant

Yes

15. Regulatory information

Regulatory Information

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Poisons Schedule

Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
S5

AICS (Australia)

All components of this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempted.

16. Other Information

Date of preparation or last revision of SDS

SDS Reviewed: April 2014
Supersedes: April 2005, April 2010

Literature References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
Standard for the Uniform Scheduling of Medicines and Poisons.
Australian Code for the Transport of Dangerous Goods by Road & Rail.
Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
Workplace exposure standards for airborne contaminants, Safe work Australia.
American Conference of Industrial Hygienists (ACGIH).
Globally Harmonised System of classification and labelling of chemicals.

Contact Person/Point

Technical Support: 1800 812 864

...End Of MSDS...

Infosafe No™ LPT5U	Issue Date : April 2014	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **FOSROC NITOFLOL FC130 BASE**

Classified as hazardous

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acchs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acchs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acchs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acchs Pty Ltd.