



Page: 1 of 6

Infosafe No™ LPT4C Issue Date : February 2014 ISSUED by PARCHEMC

Product Name FOSROC NITOMORTAR EL BASE

Classified as hazardous

1. Identification

GHS Product FOSROC NITOMORTAR EL BASE

Identifier

Company Name

Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)

Address 7 Lucca Road Wyong

NSW 2259 Australia Tel: 02 4350 5000

Fax: 02 4351 2024

Telephone/Fax Number

1800 638 556 (available 24/7)

Emergency phone number

Recommended use of

Base component of epoxy resin repair mortar.

the chemical and restrictions on use Other Information

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

www.parchem.com.au

2. Hazard Identification

Classification of the substance or mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia.

Classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail. (7th edition)

Skin Corrosion/irritation, Category 2 Serious eye damage/irritation, Category 2

Skin Sensitiser, Category 1

Hazardous to the Aquatic Environment - Long-Term Hazard, Category 2

Signal Word (s) Warning

Hazard Statement (s)

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Pictogram (s) Exclamation mark, Environment





Precautionary

P261 Avoid breathing mist/vapours/spray.

statement –

P264 Wash contaminated skin thoroughly after handling.

Prevention

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

Precautionary statement – Response P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention P337+P313 If eye irritation persists: Get medical advice/attention.





2 of 6 Page:

LPT4C Infosafe No™ Issue Date : February 2014 ISSUED by PARCHEMC

FOSROC NITOMORTAR EL BASE Product Name

Classified as hazardous

P362 Take off contaminated clothing and wash before re-use.

Collect spillage.

P501 Dispose of contents/container to an approved waste disposal plant.

statement - Disposal

Precautionary

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Bisphenol A - epichlorohydrin	25068-38-6	60-100 %
	C12-C14 Alkyl glycidyl ether	68609-97-2	10-30 %
	Ingredients determined not to be hazardous.		Balance

4. First-aid measures

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until

recovered. If symptoms persist seek medical attention.

Ingestion Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical

attention.

Remove all contaminated clothing immediately. Wash affected area thoroughly Skin

with soap and water. Wash contaminated clothing before reuse or discard. Seek

medical attention.

If in eyes, hold eyelids apart and flush the eyes continuously with running Eve contact

water. Continue flushing for several minutes until all contaminants are washed

out completely. Seek medical attention.

First Aid Facilities Eye wash, safety shower and normal washroom facilities.

Advice to Doctor Treat symptomatically.

Other Information For advice in an emergency, contact a Poisons Information Centre (Phone

Australia 131 126) or a doctor at once.

5. Fire-fighting measures

Use carbon dioxide, dry chemical or foam. Alcohol resistant foam is preferred.

If not available normal foam can be used. extinguishing media

Unsuitable

Do not use water jet. **Extinguishing Media**

Hazards from

Under fire conditions this product may emit toxic and/or irritating fumes and

gases including carbon monoxide, carbon dioxide and oxides of nitrogen. Combustion

Products

Specific hazards Combustible. This product will readily burn under fire conditions.

arising from the chemical

Hazchem Code •3Z

Not available **Decomposition Temp.**

Precautions in connection with Fire Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to

vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented

from entering drains and watercourses.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage





3 of 6 Page:

Infosafe No™ LPT4C Issue Date : February 2014 ISSUED by PARCHEMC

Product Name FOSROC NITOMORTAR EL BASE

Classified as hazardous

Precautions for Safe Handling

Prevent the build up of mists or vapours in the work atmosphere. Avoid inhalation of vapours and mists, and skin or eye contact. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities. Store in a cool, dry well-ventilated area away from heat, sources of ignition, oxidising agents, foodstuffs, and clothing and out of direct sunlight. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Do NOT pressurise, cut, heat or weld containers as they may contain hazardous residues. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all applicable local and

Use only in a well ventilated area. Keep containers sealed when not in use.

Conditions for safe storage, including any incompatabilities

8. Exposure controls/personal protection

Occupational exposure limit values No exposure value assigned for this specific material by Safework, Australia. However, over-exposure to any chemical may result in enhancement of

pre-existing adverse medical conditions and/or allergic reactions and should

be kept to the least possible levels.

No biological limits allocated.

national regulations.

Biological Limit

Values

Protection

Appropriate

engineering controls Respiratory

Hand Protection

Use with good general ventilation. If mists or vapours are produced local exhaust ventilation should be used.

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable organic vapour filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary

changes for individual circumstances.

Eye Protection Safety glasses with side shields or chemical goggles should be worn. Final

choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications. Wear gloves of impervious material such as rubber, neoprene or PVC material. Final choice of appropriate gloves will vary according to individual

circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective

gloves - Selection, use and maintenance.

Body Protection Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist

is recommended. Chemical resistant apron is recommended where large quantities

are handled.

Not available

9. Physical and chemical properties

White paste Appearance

White Colour

Not available Odour Not available Decomposition

Temperature

Melting Point Not available

Boiling Point >200°C Solubility in Water Insoluble Specific Gravity 1.13 (at 23°C) Not available рH Vapour Pressure Not available

(Air=1)

Vapour Density





4 of 6 Page:

Infosafe No™ LPT4C Issue Date : February 2014 ISSUED by PARCHEMC

FOSROC NITOMORTAR EL BASE Product Name

Classified as hazardous

Evaporation Rate Not available **Odour Threshold** Not available Not available Viscosity Not available **Partition Coefficient:**

n-octanol/water

Flash Point >200°C

Flammability Not flammable Not available **Auto-Ignition**

Temperature

Flammable Limits -

Not available

Lower

Flammable Limits -

Not available

Upper

10. Stability and reactivity

Reactivity Reacts with incompatibles.

Chemical Stability Stable under normal conditions of storage and handling.

Conditions to Avoid Heat, flames and other ignition sources.

Incompatible Materials

Strong oxidising agents, strong acids and strong bases.

Hazardous **Decomposition**

Thermal decomposition may result in the release of toxic and/or irritating

fumes and gases including carbon monoxide and carbon dioxide.

Products

Will not occur. Hazardous

Polymerization

11. Toxicological Information

No toxicity data are available for this specific product. Toxicology

Information

Ingestion Ingestion of this product may irritate the gastric tract causing nausea and

vomiting.

Inhalation Inhalation of product vapours may cause irritation of the nose, throat and

respiratory system.

Skin Causes skin irritation. Skin contact will cause redness, itching and swelling.

Repeated exposure may cause skin dryness and cracking and may lead to

dermatitis. May cause an allergic skin reaction.

Eye Causes serious eye irritation. On eye contact this product will cause tearing,

stinging, blurred vision, and redness.

Not expected to be a respiratory sensitiser. Respiratory

sensitisation

Skin Sensitisation May cause an allergic skin reaction.

Not considered to be a mutagenic hazard. Germ cell

mutagenicity

Carcinogenicity Not considered to be a carcinogenic hazard. Not considered to be toxic to reproduction. Reproductive

Toxicity

Not expected to cause damage to organs. STOT-single

exposure

exposure

Not expected to cause damage to organs through repeated or prolonged exposure. STOT-repeated

Aspiration Hazard Not expected to be an aspiration hazard.

12. Ecological information

Toxic to aquatic life with long lasting effects. **Ecotoxicity**





Page: 5 of 6

Infosafe No™ LPT4C Issue Date : February 2014 ISSUED by PARCHEMC

Product Name FOSROC NITOMORTAR EL BASE

Classified as hazardous

Persistence and degradability

Not available

degradability Mobility

Not available
Not available

Potential

Other Adverse

Bioaccumulative

Not available

Effects

Environmental

Do not discharge this material into waterways, drains and sewers.

Protection

13. Disposal considerations

Disposal Considerations Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

14. Transport information

Transport Information Road and Rail Transport:

This material is classified as a Class 9 Miscellaneous Dangerous Goods

dangerous Goods.

Class 9 Dangerous Goods are incompatible in a placard load with any of the following:

TOTT

- Class 1, Explosives (when the class 9 substance is a fire risk substance),

- Division 5.1, Oxidizing agents (when the class 9 substance is a fire risk

substance), and

- Division 5.2, Organic peroxides (when the class 9 substance is a fire risk

substance).

Note: Special Provision AU01

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN

3082 are not subject to this Code when transported by road or rail in;

(a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or

(b) IBCs.

Marine Transport (IMO/IMDG):

Classified as Dangerous Goods by the criteria of the International Maritime

Dangerous Goods Code (IMDG Code) for transport by sea.

UN No.: 3082

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Contains Bisphenol A Epoxy Resin)

DG Class: 9

Packaging Group: III EMS No.: F-A, S-F

Special provisions: 274, 335

Air Transport (ICAO/IATA):

Classified as Dangerous Goods by the criteria of the International Air

Transport Association (IATA) Dangerous Goods Regulations for transport by air.

UN No: 3082

Proper Shipping Name: : Environmentally hazardous substance, liquid, n.o.s.

(Contains Bisphenol A Epoxy Resin)

Class: 9

Packing Group: III

Hazard Label: Miscellaneous

Packing Instruction: 964 (For passenger and cargo aircraft)

Packing Instruction: 964 (For cargo aircraft only)

Special provisions: A97, A158

U.N. Number 3082

UN proper shipping

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. - (Contains Bisphenol A

Epoxy Resin)

name

Transport hazard

class(es)

Hazchem Code •3Z





6 of Page:

Infosafe No™ LPT4C Issue Date : February 2014 ISSUED by PARCHEMC

FOSROC NITOMORTAR EL BASE Product Name

Classified as hazardous

Packing Group III **EPG Number** 9C1 IERG Number 47 IMDG Marine Yes pollutant

15. Regulatory information

Regulatory Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Information

Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule Not Scheduled

AICS (Australia) All components of this product are listed on the Australian Inventory of

Chemical Substances (AICS) or exempted.

16. Other Information

Date of preparation or last revision of SDS

SDS Reviewed: February 2014

Supersedes: April 2010

Literature References Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Workplace exposure standards for airborne contaminants, Safe work Australia.

American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals.

Contact Person/Point Technical Support: 1800 812 864

...End Of MSDS...

© Copyright ACOHS Pty Ltd

code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.