

Infosafe No™ LPTCU	Issue Date : August 2013	ISSUED by PARCHEMC
--------------------	--------------------------	--------------------


Product Name : **FOSROC THIOFLEX 600 POURING GRADE BASE**

Classified as hazardous

1. Identification

GHS Product Identifier	FOSROC THIOFLEX 600 POURING GRADE BASE
Company Name	Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)
Address	7 Lucca Road Wyong NSW 2259 Australia
Telephone/Fax Number	Tel: 02 4350 5000 Fax: 02 4351 2024
Emergency phone number	1800 638 556 (available 24/7)
Recommended use of the chemical and restrictions on use	Base component of a two part polysulphide self-leveling sealant.
Other Information	<p>This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.</p> <p>If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.</p> <p>www.parchem.com.au</p>

2. Hazard Identification

GHS classification of the substance/mixture	<p>Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.</p> <p>Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)</p> <p>Classification: Toxic to Reproduction: additional Hazardous to the Aquatic Environment - Acute Hazard: Category 2 Hazardous to the Aquatic Environment - Long-Term Hazard: Category 2</p>
Signal Word (s)	Warning
Hazard Statement (s)	<p>H362 May cause harm to breast-fed children.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p> <p>AUH066 Repeated exposure may cause skin dryness or cracking.</p>
Pictogram (s)	
Precautionary statement – Prevention	<p>P201 Obtain special instructions before use.</p> <p>P263 Avoid contact during pregnancy/while nursing.</p> <p>P264 Wash skin thoroughly after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P273 Avoid release to the environment.</p>
Precautionary statement – Response	<p>P308+P313 IF exposed or concerned: Get medical advice/attention.</p>
Precautionary statement – Disposal	<p>P391 Collect spillage.</p> <p>P501 Dispose of contents/container to an approved waste disposal plant.</p>

3. Composition/information on ingredients

Infosafe No™ LPTCU	Issue Date :August 2013	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **FOSROC THIOFLEX 600 POURING GRADE BASE**

Classified as hazardous

Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	Alkanes, C14-17, chloro	85535-85-9	10-<30 %
	Talc	14807-96-6	<10 %
	Xylene	1330-20-7	<1 %
	Bisphenol A- (epichlorohydrin), epoxy resin, reaction product	25068-38-6	<1 %
	Siloxanes and silicones, dimethyl	63148-62-9	<1 %
	Silane, trimethoxy[3- (oxiranylmethoxy)propyl]-	2530-83-8	<1 %
	Ingredients determined not to be hazardous	Not required	Balance

4. First-aid measures

Inhalation	If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.
Ingestion	Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek medical attention.
Skin	Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and persist seek medical attention.
First Aid Facilities	Eyewash and normal washroom facilities.
Advice to Doctor	Treat symptomatically.
Other Information	For advice in an emergency, contact a Poisons Information Centre (Phone Australia 13 1126) or a doctor at once.

5. Fire-fighting measures

Suitable extinguishing media	Use carbon dioxide, dry chemical or foam. Alcohol resistant foam is preferred. If not available normal foam can be used.
Unsuitable Extinguishing Media	Do not use water jet.
Hazards from Combustion Products	Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide, oxides of sulphur and chlorinated hydrocarbons.
Specific hazards arising from the chemical	Combustible paste. This product will readily burn under fire conditions.
Hazchem Code	•3Z
Decomposition Temp.	Not available
Precautions in connection with Fire	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. Accidental release measures

Emergency Procedures	Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.
-----------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Infosafe No™ LPTCU	Issue Date :August 2013	ISSUED by PARCHEMC
--------------------	-------------------------	--------------------

Product Name : **FOSROC THIOFLEX 600 POURING GRADE BASE**

Classified as hazardous

7. Handling and storage

Precautions for Safe Handling Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Avoid inhalation of vapours and mists, and skin or eye contact. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatibilities Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all applicable local and national regulations.

8. Exposure controls/personal protection

Occupational exposure limit values No exposure value assigned for this material by Safe Work, Australia. However, the available exposure limits for ingredients are listed below:

Safe Work, Australia Exposure Standards:

Substance	TWA		STEL		NOTICES
	ppm	mg/m ³	ppm	mg/m ³	
Xylene	80	350	150	655	-
Talc	-	2.5	-	-	-

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Biological Limit Values Biological Exposure Indices (BEI) from American Conference of Industrial Hygienists (ACGIH) for ingredients are as follows:

Determinant	Sampling Time	Biological Exposure Indices (BEI)
XYLENES [1330-20-7)		
Methylhippuric acids	End of shift	1.5 g/g creatinine in urine

Appropriate engineering controls Provide sufficient ventilation to keep airborne levels as low as possible. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is required.

Respiratory Protection If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection Wear gloves of impervious material, such as laminated film. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

9. Physical and chemical properties

Infosafe No™ LPTCU	Issue Date : August 2013	ISSUED by PARCHEMC
--------------------	--------------------------	--------------------

Product Name : **FOSROC THIOFLEX 600 POURING GRADE BASE**

Classified as hazardous

Appearance	Grey thixotropic paste
Odour	Polysulphide odour.
Decomposition Temperature	Not available
Melting Point	Not available
Boiling Point	Not available
Solubility in Water	Insoluble
Specific Gravity	1.65 (23°C)
pH	Not available
Vapour Pressure	Not available
Vapour Density (Air=1)	>1
Evaporation Rate	<1 (Butyl acetate=1)
Odour Threshold	Not available
Viscosity	Not available
Partition Coefficient: n-octanol/water	Not available
Flash Point	>150°C (Closed cup)
Flammability	Combustible paste
Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not available
Flammable Limits - Upper	Not available

10. Stability and reactivity

Reactivity	Reacts with incompatible materials.
Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Heat, flames and other sources of ignition.
Incompatible Materials	Strong oxidising agents.
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide, oxides of sulphur and chlorinated hydrocarbons.
Hazardous Polymerization	Will not occur.

11. Toxicological Information

Toxicology Information	No toxicity data is available for this specific product.
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Inhalation	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
Skin	May be irritating to skin. The symptoms may include redness, itching and swelling. Repeated exposure may cause skin dryness or cracking.
Eye	May be irritating to eyes. The symptoms may include redness, itching and tearing.
Respiratory sensitisation	Not expected to be a respiratory sensitiser.
Skin Sensitisation	Not expected to be a skin sensitiser.

Infosafe No™ LPTCU Issue Date : August 2013 ISSUED by PARCHEMC

Product Name : FOSROC THIOFLEX 600 POURING GRADE BASE

Classified as hazardous

Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Xylene is listed as a Group 3: Not classifiable as to its carcinogenicity to humans according to International Agency for Research on Cancer (IARC).
Reproductive Toxicity	May cause harm to breast-fed children.
STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ through repeated or prolonged exposure.
Aspiration Hazard	Not expected to be an aspiration hazard.

12. Ecological information

Ecotoxicity	Toxic to aquatic life with long lasting effects.
Persistence and degradability	Not available
Mobility	Not available
Bioaccumulative Potential	Not available
Environmental Protection	Do not discharge this material into waterways, drains and sewers.

13. Disposal considerations

Disposal Considerations	Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.
--------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

14. Transport information

Transport Information	<p>Road and Rail Transport: This material is classified as a Class 9 (Miscellaneous Dangerous Goods) dangerous Goods according to The Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition). Class 9 Dangerous Goods are incompatible in a placard load with any of the following: - Class 1, Explosives (when the class 9 substance is a fire risk substance), - Division 5.1, Oxidizing agents (when the class 9 substance is a fire risk substance), and - Division 5.2, Organic peroxides (when the class 9 substance is a fire risk substance). Note: Special Provision AU01 Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in: a) packagings; b) IBCs; or c) any other receptacle not exceeding 500 Kg(L).</p> <p>Marine Transport (IMO/IMDG): Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea. UN No.: 3082 Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains Alkanes, C14-17, chloro) DG Class: 9 Packaging Group: III EMS No.: F-A, S-F Special provisions: 274, 335</p> <p>Air Transport (ICAO/IATA): Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air. UN No: 3082</p>
------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Infosafe No™ LPTCU Issue Date : August 2013 ISSUED by PARCHEMC

Product Name : FOSROC THIOFLEX 600 POURING GRADE BASE

Classified as hazardous

Proper Shipping Name: : Environmentally hazardous substance, liquid, n.o.s.
(Contains Alkanes, C14-17, chloro)
Class: 9
Packing Group: III
Label: Miscellaneous
Packing Instruction: 964 (For passenger and cargo aircraft)
Packing Instruction: 964 (For cargo aircraft only)
Special provisions: A97, A158
3082

U.N. Number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. - (Contains Alkanes, C14-17, chloro)

Transport hazard class(es) 9

Hazchem Code •3Z

Packing Group III

EPG Number 9C1

IERG Number 47

IMDG Marine pollutant Yes

15. Regulatory information

Regulatory Information Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule Not Scheduled

AICS (Australia) All components of this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempted.

16. Other Information

Date of preparation or last revision of SDS SDS Reviewed: August 2013
Supersedes: January 2011

Literature References Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
Standard for the Uniform Scheduling of Medicines and Poisons.
Australian Code for the Transport of Dangerous Goods by Road & Rail.
Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
Workplace exposure standards for airborne contaminants, Safe work Australia.
American Conference of Industrial Hygienists (ACGIH).
Globally Harmonised System of classification and labelling of chemicals.

Contact Person/Point Technical Support: 1800 812 864
...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.