



1 of 6 Page:

Infosafe No™ LO0UV Issue Date : March 2012 ISSUED by PARCHEMC

FAUXTEX MULTI MIX COLOUR HARDENER Product Name

Classified as hazardous

1. Identification

GHS Product

FAUXTEX MULTI MIX COLOUR HARDENER

Identifier

Company Name Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)

Address 7 Lucca Road Wyong

NSW 2259 Australia Tel: 02 4350 5000

Telephone/Fax Fax: 02 4351 2024 Number

1800 638 556 (available 24/7) **Emergency phone**

number

Dry shake powder to colour and harden concrete Recommended use of

the chemical and restrictions on use Other Information

This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the

workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available

www.parchem.com.au

upon request.

2. Hazard Identification

GHS classification of

the

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

substance/mixture

Not classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail. (7th edition)

Skin Corrosion/irritation, Category 2 Serious Eye Damage/irritation, Category 1

Specific Target Organ Toxicity, Single Exposure Category 3 (respiratory

irritation)

Signal Word (s) Danger

Hazard Statement (s)

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

Pictogram (s)

Corrosion, Exclamation mark





P102 Keep out of reach of children. Precautionary

P103 Read label before use. statement -

P104 Read Safety Data Sheet before use. Prevention

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

Precautionary statement - Response P101 If medical advice is needed, have product container or label at hand. -This statement applies only where the substance is available to the general

public. P312 Call a POISON CENTER/doctor if you feel unwell.





Page: 2 of 6

Infosafe No^{TM} LQ0UV Issue Date : March 2012 ISSUED by PARCHEMC

Product Name FAUXTEX MULTI MIX COLOUR HARDENER

Classified as hazardous

INHALATION

P304+P340 IF INHALED: Remove to fresh air and keep at rest in a position

comfortable for breathing.

P405 Store locked up.

EYES

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician

SKIN

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P332+P313 If skin irritation occurs: Get medical advice/ attention

P362 Take off contaminated clothing and wash before re-use.

Precautionary

statement – Storage Precautionary ${\tt P403+P233}\ {\tt Store\ in\ a\ well-ventilated\ place.}\ {\tt Keep\ container\ tightly\ closed.}$

P501 Dispose of contents/container to an approved waste disposal plant

statement – Disposal

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Quartz	14808-60-7	50-70 %
	Portland cement	65997-15-1	30-60 %
	Titanium dioxide	13463-67-7	0-<5 %
	Calcium oxide	1305-78-8	0-<5 %
	•		
	Calcium sulphate	10101-41-4	0-<5 %
	Calcium carbonate	1317-65-3	0-<5 %
	Other ingredients determined not to be		Balance
	hazardous.		
Other Information	Contains <0.1% respirable	free crystal	line silica in the form of quartz.

4. First-aid measures

Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.				
Ingestion	Do not induce vomiting. Wash out mouth with water. Seek medical attention.				
Skin	Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. Seek medical attention.				
Eye contact	If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention.				
First Aid Facilities	Eye wash, safety shower and normal washroom facilities.				
Advice to Doctor	Treat symptomatically.				
Other Information	For advice, contact a Poisons Information Centre (Phone eg Australia 131 126;				

5. Fire-fighting measures

Suitable	Use	appropriate	fire	extinguisher	for	surrounding	environment.
Sultable	050	appropriace	$_{\rm L}$	CACTIGUESTICE	TOT	Sarrounaring	CIIVIL OIIIICII C.

extinguishing media

Hazards from This product is non combustible.

Combustion Products

Specific hazards The product is not combustible.

arising from the chemical

 $\begin{array}{lll} \textbf{Precautions in} & \textbf{Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full} \\ \textbf{connection with Fire} & \textbf{protective clothing to prevent exposure to vapours, fumes, dust or products of} \\ \end{array}$

combustion.

6. Accidental release measures





3 of Page:

Infosafe No™ LOOUV Issue Date : March 2012 ISSUED by PARCHEMC

FAUXTEX MULTI MIX COLOUR HARDENER Product Name

Classified as hazardous

Emergency **Procedures**

Evacuate all unprotected personnel. Wear sufficient respiratory protection and full protective clothing to prevent exposure. Sweep up material avoiding dust generation or dampen spilled material with water to avoid airborne dust, then transfer material to a suitable container. Wash surfaces well with soap and water. Seal all wastes in labelled plastic containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe Handling

Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of dust in the work atmosphere. Avoid inhalation of dust, and skin or eye contact. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities. Store in a cool, dry, well-ventilated area, out of direct sunlight and moisture. Store in labelled, corrosion-resistant containers. Keep containers tightly closed. Store away from incompatible materials.

Conditions for safe storage, including any incompatabilities

8. Exposure controls/personal protection

Occupational exposure limit values

No exposure value assigned for this specific material by Safework, Australia. However, over-exposure to any chemical may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels. The available exposure limits for ingredients are listed below:

Safework, Australia Exposure Standards:

Substance	TV	ΝA	ST	NOTICES	
	ppm	mg/m³	ppm	mg/m³	
Portland cement	_	10	_	_	_
Titanium dioxide	_	10	_	_	_
Calcium oxide	-	2	_	_	_
Calcium sulphate	-	10	_	_	-
Calcium carbonate	-	10	_	_	_
Quartz	-	0.1	_	_	_
Dust (inspirable fraction)	_	10	_	_	_

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Biological Limit Values

No biological limit allocated.

Appropriate engineering controls Good ventilation adequate to maintain the concentration below exposure standards is required. The use of a local exhaust ventilation system (drawing dusts away from workers breathing zone) is recommended. If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn. If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable particulate filter should be used. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Protection

Respiratory

Eve Protection

Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications. Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS

Suitable protective workwear should be worn when working with this material,

2161.1: Occupational protective gloves - Selection, use and maintenance.

Hand Protection

Body Protection





4 of 6 Page:

Infosafe No™ LOOUV Issue Date : March 2012 ISSUED by PARCHEMC

FAUXTEX MULTI MIX COLOUR HARDENER Product Name

Classified as hazardous

e.g. cotton overalls buttoned at neck and wrist.

9. Physical and chemical properties

Appearance Coloured powder **Melting Point** Not available **Boiling Point** Not applicable Solubility in Water Not available **Specific Gravity** 1.3 @ 23°C pН Not available Vapour Pressure Not applicable Not available Vapour Density (Air=1) **Odour Threshold** Not available

Not applicable Viscosity Not available **Partition Coefficient:**

n-octanol/water

Not applicable Flash Point

Flammability Non-combustible solid.

Not applicable **Auto-Ignition**

Temperature

Flammable Limits -

Lower

Not applicable

Not applicable Flammable Limits -

Upper

10. Stability and reactivity

Chemical Stability Stable under normal conditions of storage and handling

Conditions to Avoid Keep free of moisture

Incompatible

Materials

Not available

Hazardous

Thermal decomposition may result in the release of toxic and/or irritating

fumes. Decomposition

Products

Will not occur. Hazardous

Polymerization

11. Toxicological Information

No toxicity data is available for this product. Toxicology

Information Inhalation

Irritating to respiratory system. Inhalation of dust will cause irritation of the nose, throat and respiratory system. Breathing of dust may cause shortness

of breath, and aggravate asthma and inflammatory or fibrotic pulmonary

disease. Inhalation may cause delayed lung disease. Acute aspiration may cause drying and irritation of the respiratory tract, cough, dyspnea, sneezing, vomiting, cyanosis, and pulmonary edema which may be delayed by up to several

hours.

Ingestion Ingestion of this product may irritate the gastric tract causing nausea and

vomiting.

Skin Irritating to skin resulting in redness and itching. Repeated exposure may

cause skin dryness and cracking.

Not considered to be toxic to reproduction.

Causes eye damage. Eye contact will cause stinging, blurring, tearing, severe Eye

pain and possible burns, necrosis, permanent damage and blindness.

Reproductive

Toxicity

This product contains crystalline silica (quartz). However free respirable Carcinogenicity





5 of 6 Page:

Infosafe No™ LOOUV Issue Date : March 2012 ISSUED by PARCHEMC

FAUXTEX MULTI MIX COLOUR HARDENER Product Name

Classified as hazardous

crystalline silica is estimated to be less than 0.1%. Crystalline silica has been classified by International Agency for Research on Cancer (IARC) as

carcinogenic to humans by inhalation (Group 1).

Skin Sensitisation Not expected to be a skin sensitiser.

Aspiration Hazard Not expected to be an aspiration hazard.

STOT-single

May cause respiratory irritation.

exposure STOT-repeated exposure

This product contains crystalline silica (quartz). However free respirable crystalline silica is estimated to be less than 0.1%. Respirable crystalline silica (particle size smaller than 7 micrometres), is regarded as a danger to health by prolonged exposure through inhalation. Repeated, prolonged or concentrated inhalation of respirable crystalline silica dust may lead to silicosis, a serious lung disease. The onset of silicosis is usually slow and lung damage may occur even when no symptoms or signs of ill-health have occurred. Silicosis can develop to a more serious degree even after exposure has ceased, and may also lead to other diseases including heart disease and

scleroderma.

Not available

Not considered to be a mutagenic hazard. Germ cell

mutagenicity

Not expected to be a respiratory sensitiser. Respiratory

sensitisation

12. Ecological information

Not available **Ecotoxicity** Not available

Persistence and degradability

Mobility Not available

Bioaccumulative

Potential

Environmental Protection

13. Disposal considerations

Dispose of waste according to applicable local and national regulations. Disposal

Considerations

14. Transport information

Road and Rail Transport (ADG Code): **Transport**

Not classified as Dangerous Goods according to the Australian Code for the Information

Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Avoid contaminating waterways.

Not classified as Dangerous Goods by the criteria of the International

Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

IMDG Marine pollutant

15. Regulatory information

Classified as Hazardous according to the Globally Harmonised System of Regulatory Classification and labelling of Chemicals (GHS) including Work, Health and Information

Safety regulations, Australia

Not classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule Not Scheduled

16. Other Information





Page: 6 of 6

Infosafe No™ LQ0UV Issue Date : March 2012 ISSUED by PARCHEMC

Product Name FAUXTEX MULTI MIX COLOUR HARDENER

Classified as hazardous

Date of preparation or last revision of

SDS Created: March 2012

SDS

Technical Support: 1800 812 864 Contact Person/Point

...End Of MSDS...

© Copyright ACOHS Pty Ltd

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.