

Infosafe No™ LPW9C	Issue Date : February 2012	ISSUED by PARCHEMC
--------------------	----------------------------	--------------------


Product Name : **LUSTRESEAL OIL AND WATER REPELLANT**

Classified as hazardous

## 1. Identification

<b>GHS Product Identifier</b>	LUSTRESEAL OIL AND WATER REPELLANT
<b>Company Name</b>	Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)
<b>Address</b>	7 Lucca Road Wyong NSW 2259 Australia
<b>Telephone/Fax Number</b>	Tel: 02 4350 5000 Fax: 02 4351 2024
<b>Emergency phone number</b>	1800 638 556 (available 24/7)
<b>Recommended use of the chemical and restrictions on use</b>	Water and oil repellent coating
<b>Other Information</b>	<p>This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.</p> <p>If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.</p> <p>www.parchem.com.au</p>

## 2. Hazard Identification

<b>GHS classification of the substance/mixture</b>	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition) Skin sensitiser, Category 1
<b>Signal Word (s)</b>	Warning
<b>Hazard Statement (s)</b>	H317 May cause an allergic skin reaction.
<b>Pictogram (s)</b>	Exclamation mark, 
<b>Precautionary statement – Prevention</b>	<p>P103 Read label before use.</p> <p>P104 Read Safety Data Sheet before use.</p> <p>P261 Avoid breathing dust/fume/gas/mist/vapours/spray.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p>
<b>Precautionary statement – Response</b>	<p>SKIN</p> <p>P302+P352 IF ON SKIN: Wash with plenty of soap and water.</p> <p>P333+P313 If skin irritation or rash occurs: Get medical advice/attention.</p> <p>P363 Wash contaminated clothing before reuse.</p>
<b>Precautionary statement – Disposal</b>	P501 Dispose of contents/container to an approved waste disposal plant.

## 3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
-------------	------	-----	------------

Infosafe No™ LPW9C	Issue Date : February 2012	ISSUED by PARCHEMC
--------------------	----------------------------	--------------------

Product Name : **LUSTRESEAL OIL AND WATER REPELLANT**

Classified as hazardous

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)  
 55965-84-9 0.0015-0.06  
 Ingredients determined not to be hazardous, including water. Balance

#### 4. First-aid measures

**Inhalation** If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.

**Ingestion** DO NOT induce vomiting. Immediately wash out mouth with water. If symptoms develop seek medical attention.

**Skin** Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. Seek medical attention.

**Eye contact** If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and persist seek medical attention.

**First Aid Facilities** Eye wash and normal washroom facilities.

**Advice to Doctor** Treat symptomatically.

**Other Information** For advice, contact a Poisons Information Centre (Phone eg Australia 131 126; New Zealand 0800 764 766) or a doctor (at once).

#### 5. Fire-fighting measures

**Suitable extinguishing media** Use carbon dioxide, dry chemical, foam or water fog.

**Hazards from Combustion Products** Combustion products may include carbon monoxide, carbon dioxide, formaldehyde and silicon dioxide.

**Specific hazards arising from the chemical** This product is not combustible. However following evaporation of aqueous component, the dried residue may burn if ignited.

**Precautions in connection with Fire** Fire-fighters should wear full protective clothing and self contained breathing apparatus (SCBA) operated in positive pressure mode.

#### 6. Accidental release measures

**Emergency Procedures** Wear appropriate personal protective equipment and clothing to minimise exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

#### 7. Handling and storage

**Precautions for Safe Handling** Use in a well ventilated area. Build up of mists or vapours in the atmosphere must be prevented. Avoid breathing in spray or mists or vapours. Wear appropriate protection. It is essential that all who come into contact with this material maintain high standards of personal hygiene ie. washing hands prior to eating, drinking, smoking or using toilet facilities.

**Conditions for safe storage, including any incompatibilities** Store in a cool, dry well-ventilated area. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks.

#### 8. Exposure controls/personal protection

**Occupational exposure limit values** No exposure standards have been established for this material by Safework, Australia. However, as with all chemicals, exposure should be kept to the lowest possible levels.

**Biological Limit Values** No biological limit allocated.

**Appropriate engineering controls** Natural ventilation should be sufficient, however where vapours or mists are generated, particularly in enclosed areas, and/or natural ventilation is

Infosafe No™ LPW9C

Issue Date : February 2012

ISSUED by PARCHEMC

Product Name : **LUSTRESEAL OIL AND WATER REPELLANT**

Classified as hazardous

<b>Respiratory Protection</b>	inadequate, a local exhaust ventilation system is recommended. If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
<b>Eye Protection</b>	Safety glasses with side shields, goggles or full-face shield as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances ie. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
<b>Hand Protection</b>	Wear gloves of impervious material (e.g.laminated film, nitrile). Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
<b>Body Protection</b>	Suitable protective workwear should be worn when working with this material, e.g. cotton overalls buttoned at neck and wrist.

## 9. Physical and chemical properties

<b>Appearance</b>	Clear liquid
<b>Odour</b>	Slight odour
<b>Melting Point</b>	Not applicable
<b>Boiling Point</b>	100°C (approximate)
<b>Solubility in Water</b>	Soluble
<b>Specific Gravity</b>	0.99 @23°C
<b>pH</b>	Not available
<b>Vapour Pressure</b>	Not available
<b>Vapour Density (Air=1)</b>	Not available
<b>Odour Threshold</b>	Not available
<b>Viscosity</b>	Not available
<b>Partition Coefficient: n-octanol/water</b>	Not available
<b>Flash Point</b>	Not applicable
<b>Flammability</b>	Not combustible.
<b>Auto-Ignition Temperature</b>	Not applicable
<b>Flammable Limits - Lower</b>	Not applicable
<b>Flammable Limits - Upper</b>	Not applicable

## 10. Stability and reactivity

<b>Chemical Stability</b>	Stable under normal conditions.
<b>Conditions to Avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatible Materials</b>	Strong oxidizing agents.
<b>Hazardous Decomposition Products</b>	Thermal decomposition may result in the release of toxic and/or irritating fumes.
<b>Hazardous Polymerization</b>	Will not occur.

Infosafe No™ LPW9C	Issue Date : February 2012	ISSUED by PARCHEMC
--------------------	----------------------------	--------------------

Product Name : **LUSTRESEAL OIL AND WATER REPELLANT**

Classified as hazardous

## 11. Toxicological Information

<b>Toxicology Information</b>	No toxicity data is available for this product.
<b>Inhalation</b>	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
<b>Ingestion</b>	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
<b>Skin</b>	May cause redness, itching and irritation. Prolonged or repeated skin contact may cause defatting leading to dermatitis.
<b>Eye</b>	May cause irritation in contact with the eyes, which can result in redness, stinging and tearing.
<b>Reproductive Toxicity</b>	Not considered to be toxic to reproduction.
<b>Carcinogenicity</b>	Not considered to be a carcinogenic hazard.
<b>Skin Sensitisation</b>	May cause an allergic skin reaction.
<b>Aspiration Hazard</b>	Not expected to be an aspiration hazard.
<b>STOT-single exposure</b>	Not expected to cause damage to organs.
<b>STOT-repeated exposure</b>	Not expected to causes damage to organs through prolonged or repeated exposure.
<b>Germ cell mutagenicity</b>	Not considered to be a mutagenic hazard.
<b>Respiratory sensitisation</b>	Not expected to be a respiratory sensitiser.

## 12. Ecological information

<b>Ecotoxicity</b>	No data is available for this material.
<b>Persistence and degradability</b>	Not available
<b>Mobility</b>	Not available
<b>Bioaccumulative Potential</b>	Not available
<b>Environmental Protection</b>	Prevent this material entering waterways, drains and sewers.

## 13. Disposal considerations

<b>Disposal Considerations</b>	Dispose of waste according to applicable local and national regulations.
--------------------------------	--

## 14. Transport information

<b>Transport Information</b>	<p>Road and Rail Transport (ADG Code): Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).</p> <p>Marine Transport (IMO/IMDG): Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.</p> <p>Air Transport (ICAO/IATA): Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.</p>
<b>IMDG Marine pollutant</b>	No

## 15. Regulatory information

<b>Regulatory Information</b>	<p>Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia</p> <p>Not classified as a Scheduled Poison according to the Standard for the Uniform</p>
-------------------------------	--



# Safety Data Sheet

infosafe  
CS: 1.6.6

Page: 5 of 5

Infosafe No™ LPW9C

Issue Date : February 2012

ISSUED by PARCHEMC

Product Name : **LUSTRESEAL OIL AND WATER REPELLANT**

Classified as hazardous

**Poisons Schedule**

Scheduling of Medicines and Poisons (SUSMP).  
Not Scheduled

**16. Other Information**

**Date of preparation  
or last revision of  
SDS** SDS Reviewed: February 2012, Supersedes: March 2007

**Contact Person/Point** Technical Support: 1800 812 864  
...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.  
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.