

Infosafe No™ LPXJI	Issue Date : February 2012	ISSUED by PARCHEMN
--------------------	----------------------------	--------------------

 Product Name **MASTERSHIELD M50 PART B HARDENER**

Classified as hazardous

1. Identification

GHS Product Identifier	MASTERSHIELD M50 PART B HARDENER
Company Name	Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)
Address	7 Lucca Road Wyong NSW 2259 Australia
Telephone/Fax Number	Tel: 02 4350 5000 Fax: 02 4351 2024
Emergency phone number	0800 154 666 (available 24/7)
Recommended use of the chemical and restrictions on use	Hardener component of epoxy floor coating system.
Other Information	Distributed in New Zealand by: Concrete Plus 23 Watts Road Sockburn New Zealand Tel: (03) 343 0090 Fax: (03) 343 0202

This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

www.parchem.co.nz

2. Hazard Identification

GHS classification of the substance/mixture	Classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001. Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2007 Transport of Dangerous Goods on Land. 6.3A - Substance that is irritating to the skin 6.4A - Substance that is irritating to the eyes 6.5B - Substance that is a contact sensitiser Skin Corrosion/irritation, Category 2
Signal Word (s)	Warning
Hazard Statement (s)	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
Pictogram (s)	Exclamation mark,



Precautionary statement – Prevention	P103 Read label before use. P104 Read Safety Data Sheet before use. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace.
---	--

Infosafe No™ LPXJI	Issue Date : February 2012	ISSUED by PARCHEMN
--------------------	----------------------------	--------------------

 Product Name **MASTERSHIELD M50 PART B HARDENER**

Classified as hazardous

Precautionary statement – Response

P280 Wear protective gloves/protective clothing/eye protection/face protection.
SKIN
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 Take off contaminated clothing and wash before re-use.

Precautionary statement – Disposal

EYES
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 In the case of a substance that is in compliance with a HSNO approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Regulations 2001. This may also include any method of disposal that must be avoided. See Section 13 for disposal details.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Polyamide resin	58033-87-7	10-30 %
	5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	0.0015-0.06%
	Ingredients determined not to be hazardous, including water.		Balance

4. First-aid measures

Inhalation	If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention.
Ingestion	DO NOT induce vomiting. Immediately wash out mouth with water. If symptoms develop seek medical attention.
Skin	Wash affected area thoroughly with soap and water. Remove contaminated clothing and wash before reuse or discard. Seek medical attention.
Eye contact	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.
First Aid Facilities	Eye wash and normal washroom facilities.
Advice to Doctor	Treat symptomatically.
Other Information	For advice, contact a Poisons Information Centre (Phone eg Australia 131 126; New Zealand 0800 764 766) or a doctor (at once).

5. Fire-fighting measures

Suitable extinguishing media	Use carbon dioxide, dry chemical, foam, water spray or water fog.
Hazards from Combustion Products	Combustion products may include carbon monoxide and carbon dioxide.
Specific hazards arising from the chemical	This product is not combustible. However following evaporation of aqueous component, the dried residue may burn if ignited.
Precautions in connection with Fire	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes or products of combustion. Water spray may be used to cool down heat-exposed containers.

6. Accidental release measures

Emergency Procedures	Wear appropriate personal protective equipment and clothing to minimise exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If
-----------------------------	---

Infosafe No™ LPXJI	Issue Date : February 2012	ISSUED by PARCHEMN
--------------------	----------------------------	--------------------

Product Name **MASTERSHIELD M50 PART B HARDENER**

Classified as hazardous

contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe Handling	Use in a well ventilated area. Build up of mists or vapours in the atmosphere must be prevented. Avoid breathing in spray or mists or vapours. Wear appropriate protection. It is essential that all who come into contact with this material maintain high standards of personal hygiene ie. washing hands prior to eating, drinking, smoking or using toilet facilities.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry well-ventilated area. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks.

8. Exposure controls/personal protection

Occupational exposure limit values	No exposure standards have been established for the mixture by the Occupational Safety and Health Service (OSH) of the New Zealand Department of Labour. However, over-exposure to some industrial chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.
Biological Limit Values	No biological limit allocated.
Appropriate engineering controls	Natural ventilation should be sufficient, however where vapours or mists are generated, particularly in enclosed areas, and/or natural ventilation is inadequate, a local exhaust ventilation system is recommended.
Respiratory Protection	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
Eye Protection	Safety glasses with side shields or goggles as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear gloves of impervious material (e.g.laminated film, nitrile). Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.
Body Protection	Suitable protective workwear should be worn when working with this material, e.g. cotton overalls buttoned at neck and wrist.

9. Physical and chemical properties

Appearance	Opaque liquid
Odour	Slight odour
Melting Point	Not available
Boiling Point	100°C (water)
Solubility in Water	Soluble
Specific Gravity	0.97 at 23°C
pH	Not available
Vapour Pressure	Not available
Vapour Density (Air=1)	Not available
Evaporation Rate	Not available
Odour Threshold	Not available
Viscosity	Not available

Infosafe No™ LPXJI Issue Date : February 2012 ISSUED by PARCHEMN

Product Name **MASTERSHIELD M50 PART B HARDENER**

Classified as hazardous

Partition Coefficient: Not available
n-octanol/water
Flash Point Not applicable
Flammability Non-combustible liquid
Auto-Ignition Temperature Not applicable
Flammable Limits - Lower Not applicable
Flammable Limits - Upper Not applicable

10. Stability and reactivity

Chemical Stability Stable under normal conditions.
Incompatible Materials Strong oxidizing agents.
Hazardous Decomposition Products Thermal decomposition may result in the release of toxic and/or irritating fumes.
Hazardous Polymerization Will not occur.

11. Toxicological Information

Toxicology Information No toxicity data is available for this product.
Inhalation Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
Ingestion Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Skin Irritating to skin resulting in redness and itching. Prolonged or repeated skin contact may cause defatting leading to dermatitis.
Eye Causes irritation in contact with the eyes, which can result in redness, stinging and tearing.
Reproductive Toxicity Not considered to be toxic to reproduction.
Carcinogenicity Not considered to be a carcinogenic hazard.
Skin Sensitisation May cause an allergic skin reaction.
Aspiration Hazard Not expected to be an aspiration hazard.
STOT-single exposure Not expected to cause damage to organs.
STOT-repeated exposure Not expected to causes damage to organs through prolonged or repeated exposure.
Germ cell mutagenicity Not considered to be a mutagenic hazard.
Respiratory sensitisation Not expected to be a respiratory sensitiser.

12. Ecological information

Ecotoxicity Not available
Persistence and degradability Not available
Mobility Not available
Bioaccumulative Potential Not available
Environmental Protection Prevent this material entering waterways, drains and sewers.

13. Disposal considerations

Infosafe No™ LPXJI Issue Date : February 2012 ISSUED by PARCHEMN

Product Name **MASTERSHIELD M50 PART B HARDENER**

Classified as hazardous

Disposal Considerations

Product Disposal:
Product wastes are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. This product can be disposed through a licensed commercial waste collection service. In this specific case the product is water-based/water-soluble and therefore can be sent through a Waste Water Treatment Plant and after treatment can be discharged into environment through the sewerage or drainage systems as authorized.
Do not dispose directly into the sewerage system. Do not discharge into drains or watercourses or dispose where ground or surface waters may be affected. The disposal agency or contractor must comply with the New Zealand Hazardous Substances (Disposal) Regulations 2001. Further details regarding disposal can be obtained on the ERMA New Zealand website under specific group standards. Personal protective clothing and equipment as specified in Section 8 of this SDS must be worn during handling and disposal of this product. The ventilation requirements as specified in the same section must also be followed, and the precautions given in Section 7 of this SDS regarding handling must also be followed.
In New Zealand, the disposal agency or contractor must comply with the New Zealand Hazardous Substances (Disposal) Regulations 2001. Further details regarding disposal can be obtained on the ERMA New Zealand website under specific group standards.

Container Disposal:
The container or packaging must be cleaned and rendered incapable of holding any substance. It can then be disposed of in a manner consistent with that of the substance it contained. In this instance the packaging can be disposed through a commercial waste collection service.
Alternatively, the container or packaging can be recycled if the hazardous residues have been thoroughly cleaned or rendered non-hazardous.
In New Zealand, the packaging (that may or may not hold any residual substance) that is lawfully disposed of by householders or other consumers through a public or commercial waste collection service is a means of compliance with regulations.

14. Transport information

Transport Information

Road and rail Transport:
Not classified as Dangerous Goods for transport according to the NZS 5433:2007 Transport of Dangerous Goods on Land.

Marine Transport:
Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):
Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

IMDG Marine pollutant

No

15. Regulatory information

Regulatory Information

Classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.
Group Standard:
Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2006

HSNO Approval Number

HSR002670

16. Other Information

Date of preparation or last revision of SDS

SDS Reviewed: February 2012, Supersedes: August 2008

Contact Person/Point

Technical Support: 1800 812 864
...End Of MSDS...

Infosafe No™ LPXJI

Issue Date : February 2012

ISSUED by PARCHEMN

Product Name **MASTERSHIELD M50 PART B HARDENER**

Classified as hazardous

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.