

Infosafe No™ LPXJJ

Issue Date : February 2012

ISSUED by PARCHEMN

Product Name : **MASTERSHIELD M90 PART B HARDENER**

Classified as hazardous

1. Identification

GHS Product Identifier MASTERSHIELD M90 PART B HARDENER

Company Name Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)

Address 7 Lucca Road Wyong
NSW 2259 Australia

Telephone/Fax Number Tel: 02 4350 5000
Fax: 02 4351 2024

Emergency phone number 0800 154 666 (available 24/7)

Recommended use of the chemical and restrictions on use Hardener component of epoxy floor coating system.

Other Information Distributed in New Zealand by:
Concrete Plus
23 Watts Road
Sockburn
New Zealand
Tel: (03) 343 0090
Fax: (03) 343 0202

This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

www.parchem.co.nz

2. Hazard Identification

GHS classification of the substance/mixture Classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001.
Classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2007 Transport of Dangerous Goods on Land.
6.1D - Substance that is acutely toxic in contact with skin.
6.1D - Substance that is acutely toxic if swallowed.
6.5B - Substance that is a contact sensitiser.
8.2C - Substance that is corrosive to dermal tissue.
8.3A - Substance that is corrosive to ocular tissue.
9.1C - Substance that is harmful in the aquatic environment.
9.2B - Substance that is ecotoxic in the soil environment.
9.3C - Substance that is harmful to terrestrial vertebrates.

Signal Word (s) Danger

Hazard Statement (s) H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H412 Harmful to aquatic life with long lasting effects.
H422 Toxic to the soil environment.
H433 Harmful to terrestrial vertebrates.

Pictogram (s) Corrosion, Exclamation mark, Environment,

Infosafe No™ LPXJJ

Issue Date : February 2012

ISSUED by PARCHEMN

Product Name : **MASTERSHIELD M90 PART B HARDENER**

Classified as hazardous



Precautionary statement – Prevention

P102 Keep out of reach of children. - This statement applies only where the substance is available to the general public.
P103 Read label before use. - This statement applies only where the substance is available to the general public.
P104 Read Safety Data Sheet before use.
P260 Do not breathe mist, vapours or spray.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves, protective clothing and eye protection.

Precautionary statement – Response

P101 If medical advice is needed, have product container or label at hand. - This statement applies only where the substance is available to the general public.
P310 Immediately call a POISON CENTRE or doctor/physician.
P391 Collect spillage.

INGESTION

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P310 Immediately call a POISON CENTRE or doctor/physician.

INHALATION

P304+P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

EYES

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTRE or doctor/physician.

SKIN

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P310 Immediately call a POISON CENTRE or doctor/physician.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P363 Wash contaminated clothing before reuse.
P405 Store locked up.

Precautionary statement – Storage

Precautionary statement – Disposal

P501 In the case of a substance that is in compliance with a HSN0 approval other than a Part 6A (Group Standards) approval, a label must provide a description of one or more appropriate and achievable methods for the disposal of a substance in accordance with the Hazardous Substances (Disposal) Regulations 2001. This may also include any method of disposal that must be avoided. See Section 13 for disposal details.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Isophoronediamine	2855-13-2	25-50 %
	Benzyl Alcohol	100-51-6	25-50 %
	Nonylphenol	25154-52-3	0-2.5 %
	Ingredients determined not to be hazardous		To 100%

4. First-aid measures

Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.
Ingestion	If swallowed, do NOT induce vomiting. Immediately wash out mouth and lips with water. Seek immediate medical attention.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Seek medical attention.
Eye contact	If in eyes, hold eyelids apart and flush the eye continuously with running

Infosafe No™ LPXJJ	Issue Date : February 2012	ISSUED by PARCHEMN
--------------------	----------------------------	--------------------

Product Name : **MASTERSHIELD M90 PART B HARDENER**

Classified as hazardous

First Aid Facilities	water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Seek immediate medical attention. Eye wash station, safety shower and normal washroom facilities.
Advice to Doctor	Treat symptomatically.
Other Information	For advice in an emergency, contact a Poisons Information Centre (Phone New Zealand 0800 764 766) or a doctor at once.

5. Fire-fighting measures

Suitable extinguishing media	Foam, dry chemical powder, carbon dioxide, water spray or water fog.
Hazards from Combustion Products	Combustion products include oxides of carbon, oxides of nitrogen and ammonia gas.
Specific hazards arising from the chemical	Combustible liquid; will readily burn under fire conditions.
Hazchem Code	2X
Precautions in connection with Fire	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes or products of combustion. Water spray may be used to cool down heat-exposed containers. If safe to do so, remove containers from path of fire.

6. Accidental release measures

Emergency Procedures	Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.
-----------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

7. Handling and storage

Precautions for Safe Handling	Corrosive and combustible liquid. Attacks skin and eyes. May produce severe burns. Wear suitable protective clothing, gloves and eye/face protection when mixing and using. Use in designated areas with adequate ventilation. Avoid breathing in vapours, mist or fumes. Keep containers closed when not in use. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands after handling, and before eating, drinking, smoking or using the toilet facilities. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous. Prevent the build up of mists or vapours in the work atmosphere. Keep containers sealed when not in use.
Conditions for safe storage, including any incompatibilities	Corrosive and combustible liquid for storage and handling purposes. Keep tightly closed in a dry, cool, well-ventilated area, out of direct sunlight. Provide a catch-tank in a bunded area. Avoid sparks, flames and other ignition sources. Store away from incompatible materials. Do NOT pressurise, cut, heat or weld containers as they may contain hazardous residues. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the store-room reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids and AS 3780-2008 The storage and handling of corrosive substances. Reference should also be made to all Local, State and Federal regulations.

8. Exposure controls/personal protection

Infosafe No™ LPXJJ	Issue Date : February 2012	ISSUED by PARCHEMN
--------------------	----------------------------	--------------------

Product Name : **MASTERSHIELD M90 PART B HARDENER**

Classified as hazardous

Occupational exposure limit values	No exposure standards have been established for the mixture by the Occupational Safety and Health Service (OSH) of the New Zealand Department of Labour. However, over-exposure to some industrial chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.
Biological Limit Values	No biological limit allocated.
Appropriate engineering controls	Provide sufficient ventilation to keep airborne levels as low as possible. Where natural ventilation is inadequate, a local exhaust ventilation system, drawing vapours/mists away from workers' breathing zone, is required.
Respiratory Protection	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable organic vapour/mist filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
Eye Protection	Safety glasses with side shields, goggles or full-face shield as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection	Wear impervious gloves conforming to AS/NZS 2161: Occupational protective gloves. Laminated film gloves offer good protection for prolonged contact with the liquid. Consult glove suppliers to determine other appropriate glove types and, preferably, test gloves before use.
Body Protection	Suitable workwear should be worn to protect personal clothing, eg cotton overalls buttoned at neck and wrist. When large quantities are handled the use of plastic aprons and rubber boots is recommended.

9. Physical and chemical properties

Appearance	Clear, light yellow liquid.
Odour	Hydrocarbon like odour
Melting Point	Not available
Boiling Point	205°C
Solubility in Water	Slightly soluble
Specific Gravity	1.0 at 23°C
pH	11 at 20°C
Vapour Pressure	0.1 hPa
Vapour Density (Air=1)	Not available
Evaporation Rate	Not available
Odour Threshold	Not available
Partition Coefficient: n-octanol/water	Not available
Flash Point	>100°C
Flammability	Not flammable
Auto-Ignition Temperature	435°C
Flammable Limits - Lower	1.3 Vol%
Flammable Limits - Upper	13.0 Vol%
Dynamic Viscosity	300 mPa.s

10. Stability and reactivity

Infosafe No™ LPXJJ	Issue Date : February 2012	ISSUED by PARCHEMN
--------------------	----------------------------	--------------------

Product Name : **MASTERSHIELD M90 PART B HARDENER**

Classified as hazardous

Chemical Stability	Stable under normal conditions of storage and handling.
Incompatible Materials	Strong oxidising agents.
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes and gases including carbon dioxide, carbon monoxide, ammonia and oxides of nitrogen.
Hazardous Polymerization	Will not occur.

11. Toxicological Information

Toxicology Information	No toxicity data are available for this specific product.
Ingestion	Harmful and corrosive if swallowed. Ingestion of this product may cause nausea, vomiting, abdominal pain and chemical burns to the mouth, throat and stomach.
Inhalation	Inhalation of vapour, mist or fumes can cause severe irritation and chemical burns to the respiratory tract. May cause bronchitis, pneumonia and pulmonary oedema.
Skin	Harmful and corrosive in contact with skin. Skin contact will cause redness, itching, irritation, severe pain and chemical burns with resultant tissue destruction. Prolonged or repeated skin contact may cause dermatitis.
Eye	Corrosive to ocular tissue. Will cause severe irritation to the eyes. Eye contact with liquid can result in stinging, tearing, corneal burns and loss of vision.
Respiratory sensitisation	May act as a sensitiser producing asthma-like (by inhalation) in sensitised individuals. Those sensitised may react to concentration levels that do not affect other, non sensitised, people.
Skin Sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Not considered to be a carcinogenic hazard.
Reproductive Toxicity	Not considered to be toxic to reproduction.
STOT-single exposure	Not expected to cause damage to organs.
STOT-repeated exposure	Not expected to cause damage to organs.
Aspiration Hazard	Not expected to be an aspiration hazard.

12. Ecological information

Ecotoxicity	Harmful to aquatic life with long lasting effects. Toxic to the soil environment. Harmful to terrestrial vertebrates.
Persistence and degradability	Not available
Mobility	Not available
Bioaccumulative Potential	Not available
Environmental Protection	Do not discharge the product into drains, waterways or sewers.

13. Disposal considerations

Disposal Considerations	<p>Product Disposal:</p> <p>Product wastes are controlled wastes and should be disposed of in accordance with all applicable local and national regulations. This product can be disposed through a licensed commercial waste collection service. It can be disposed by burning in an approved high temperature incineration facility; or alternatively, it can be reacted with the base component to enable it to cure to an inert solid that can be disposed in a licensed landfill facility.</p> <p>Personal protective clothing and equipment as specified in Section 8 of this SDS must be worn during handling and disposal of this product. The ventilation</p>
--------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Infosafe No™ LPXJJ

Issue Date : February 2012

ISSUED by PARCHEMN

Product Name : **MASTERSHIELD M90 PART B HARDENER**

Classified as hazardous

requirements as specified in the same section must also be followed, and the precautions given in Section 7 of this SDS regarding handling must also be followed.

Do not dispose into the sewerage system. Do not discharge into drains or watercourses or dispose where ground or surface waters may be affected. In New Zealand, the disposal agency or contractor must comply with the New Zealand Hazardous Substances (Disposal) Regulations 2001. Further details regarding disposal can be obtained on the ERMA New Zealand website under specific group standards.

Container Disposal:

The container or packaging must be cleaned and rendered incapable of holding any substance. It can then be disposed of in a manner consistent with that of the substance it contained. In this instance the packaging can be disposed through a commercial waste collection service.

Alternatively, the container or packaging can be recycled if the hazardous residues have been thoroughly cleaned or rendered non-hazardous.

In New Zealand, the packaging (that may or may not hold any residual substance) that is lawfully disposed of by householders or other consumers through a public or commercial waste collection service is a means of compliance with regulations.

14. Transport information

Transport Information

Road and Rail Transport:

This material is classified as a Class 8 Corrosive Substance according to NZS 5433:2007 Transport of Dangerous Goods on Land.

Must not be loaded in the same freight container or on the same vehicle with:

- Class 1, Explosives
- Division 5.1, Oxidising substances
- Division 5.2, Organic peroxides
- Class 7, Radioactive materials unless specifically exempted

And are incompatible with food and food packaging in any quantity.

Note 1: Cyanides (Division 6.1) must not be loaded in the same freight container or on the same vehicle with acids (Class 8).

Note 2: Strong acids must not be loaded in the same freight container or on the same vehicle with strong alkalis. Packing Group I and II acids and alkalis should be considered as strong.

Must not be loaded with in the same freight container; and on the same vehicle must be separated horizontally by at least 3 metres unless all but one are packed in separate freight containers with:

- Division 4.3, Dangerous when wet substances
- Goods of packing group II or III may be loaded in the same freight container or on the same vehicle if transported in segregation devices with:
- Division 4.3, Dangerous when wet substances
 - Division 5.1, Oxidising substances
 - Division 5.2, Organic peroxides

And are incompatible with food and food packaging in any quantity.

Marine Transport (IMO/IMDG):

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

UN No.: 2735

Proper Shipping Name: POLYAMINES, LIQUID, CORROSIVE, N.O.S.(CONTAINS ISOPHORONEDIAMINE)

Class: 8

Packaging Group: III

EMS No.: F-A, S-B

Air Transport (ICAO/IATA):

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

UN No: 2735

Proper Shipping Name: Polyamines, liquid, corrosive, n.o.s.(Contains Isophoronediamine)

Class: 8

Packaging Group: III

Label: Corrosive

Infosafe No™ LPXJJ Issue Date : February 2012 ISSUED by PARCHEMN

Product Name : **MASTERSHIELD M90 PART B HARDENER**

Classified as hazardous

U.N. Number	Packing Instruction: 852 (For passenger and cargo aircraft) Packing Instruction: 856 (For cargo aircraft only) 2735
UN proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. - (CONTAINS ISOPHORONEDIAMINE)
Transport hazard class(es)	8
Hazchem Code	2X
Packing Group	III
EPG Number	8A1
IERG Number	36
IMDG Marine pollutant	No

15. Regulatory information

Regulatory Information	Classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001. Group Standard: Surface Coatings and Colourants (Corrosive) Group Standard 2006
HSNO Approval Number	HSR002658

16. Other Information

Date of preparation or last revision of SDS	SDS Reviewed: February 2012, Supersedes: August 2008.
Contact Person/Point	Technical Support: 1800 812 864 ...End Of MSDS...

© Copyright ACOHS Pty Ltd
Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.