



1 of 5 Page:

Infosafe No™ LOOZJ Issue Date : April 2012 ISSUED by PARCHEMC

OVATONE LIQUID RELEASER Product Name

Classified as hazardous

1. Identification

GHS Product

OVATONE LIQUID RELEASER

Identifier

Company Name

Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)

Address 7 Lucca Road Wyong

NSW 2259 Australia Tel: 02 4350 5000

Telephone/Fax Fax: 02 4351 2024 Number

1800 638 556 (available 24/7) **Emergency phone**

number

Recommended use of the chemical and restrictions on use Other Information

Release agent for urethane moulds used in the stamping of decorative concrete

This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the

workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

www.parchem.com.au

2. Hazard Identification

GHS classification of

the

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia substance/mixture

Not classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail. (7th edition)

Flammable liquids, Category 4 Aspiration Hazard: Category 1

Signal Word (s)

Danger

Hazard Statement (s)

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

Pictogram (s) Health hazard



Precautionary statement -Prevention

P102 Keep out of reach of children. -This statement applies only where the

substance is available to the general public. P103 Read label before use. -This statement applies only where the substance

is available to the general public. P104 Read Safety Data Sheet before use.

Keep away from heat/sparks/open flames/hot surfaces. P210

P280 Wear protective gloves/protective clothing/eye protection/face

protection.

Precautionary statement - Response

P101 If medical advice is needed, have product container or label at hand. -This statement applies only where the substance is available to the general public.

P370+P378 In case of fire: Use dry chemical powder, carbon dioxide or foam.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P331 Do NOT induce vomiting.

Print Date: 12/04/2012 CS: 1.6.9





Page: 2 of 5

Infosafe No^{TM} LQ0ZJ Issue Date :April 2012 ISSUED by PARCHEMC

Product Name OVATONE LIQUID RELEASER

Classified as hazardous

Precautionary P403+P235 Store in a well-ventilated place. Keep cool.

statement - Storage
P405 Store locked up.

Precautionary P501 Dispose of contents/container to approved disposal plant

statement - Disposal

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Distillates, petroleum, hydrotreated light	64742-47-8	90-100 %
	Ingredients determined	_	Balance

4. First-aid measures

Skin

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until

recovered. If symptoms persist seek medical attention.

Ingestion
Do NOT induce vomiting. Wash out mouth and lips with water. Where vomiting

occurs naturally have affected person place head below hip level in order to

reduce risk of aspiration. Seek immediate medical attention.

Wash affected area thoroughly with soap and water. If symptoms develop seek

medical attention.

Eye contact If in eyes, hold eyelids apart and flush the eyes continuously with running

water. Continue flushing for several minutes until all contaminants are washed

out completely. If symptoms develop seek medical attention.

First Aid Facilities Eyewash and normal washroom facilities.

Advice to Doctor Treat symptomatically.

Other Information For advice in an emergency, contact a Poisons Information Centre (Phone

Australia 13 1126; New Zealand 0800 POISON / 0800 764 766) or a doctor at

once.

5. Fire-fighting measures

Suitable Use dry chemical powder, carbon dioxide or foam.

extinguishing media

Unsuitable Do NOT use water jets.

Extinguishing Media

Hazards from
Combustion
Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide and carbon dioxide.

Products

 $Specific \ hazards \\ \hbox{ Combustible liquid. This product will burn if exposed to fire.}$

arising from the chemical

Decomposition Temp. Not available

Precautions in connection with Fire

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to

vapours or fumes. Water spray may be used to cool down heat-exposed

containers. Fight fire from safe location. This product should be prevented

from entering drains and watercourses.

6. Accidental release measures

Emergency Procedures

Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe
Handling
Use only in a well ventilated area. Keep containers sealed when not in use.
Prevent the build up of mists or vapours in the work atmosphere. Avoid

Frint Date: 12/04/2012 CS: 1.6.9





Page: 3 of 5

Infosafe No^{TM} LQ0ZJ Issue Date :April 2012 ISSUED by PARCHEMC

Product Name OVATONE LIQUID RELEASER

Classified as hazardous

inhalation of vapours and mists, and skin or eye contact. Do not use near

Conditions for safe storage, including any incompatabilities ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities. Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all applicable local and national regulations.

8. Exposure controls/personal protection

Occupational exposure limit values

No exposure standards have been established for this material by Safework Australia. However, over-exposure to some chemicals may result in aggravation of pre-existing adverse medical conditions and/or allergic reactions and

Biological Limit

No biological limit allocated.

should be kept to the least possible levels.

Values Appropriate engineering controls

Use in a well ventilated area. Local exhaust ventilation will be required in confined areas or where natural ventilation is not sufficient to maintain concentrations below exposure limits.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then respiratory protective equipment should be used suitable for protecting

against airborne contaminants. Final choice of appropriate breathing protection is dependant upon actual airborne concentrations and the type of breathing protection required will vary according to individual circumstances. Expert advice may be required to make this decision. Reference should be made to Australian Standards AS/NZS 1715. Selection. Use and Maintenance of

to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective \hat{R}

Devices.

Eye Protection

Safety glasses with side shields or face shield as appropriate recommended. Final choice of appropriate eye/face protection will vary according to individual circumstances ie. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337- Eye Protectors for Industrial Applications.

Hand Protection

Impervious gloves recommended. Final choice of appropriate gloves will vary according to individual circumstances ie. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161

Occupational protective gloves- Selection, use and maintenance.

Body Protection

Suitable workwear should be worn to protect personal clothing, eg cotton overalls buttoned at neck and wrist. When large quantities are handled the use

of plastic aprons and rubber boots is recommended.

9. Physical and chemical properties

Appearance Coloured liquid

Odour Hydrocarbon

Decomposition Not available

Temperature

Melting Point <-50°C (Distillates, petroleum, hydrotreated light)

Boiling Point 190-230°C (Typical) (Distillates, petroleum, hydrotreated light)

Solubility in Water <0.1 wt%

Specific Gravity 0.76 at 23°C

pH Not available

Vapour Pressure 0.009 kPa @20°C (Distillates, petroleum, hydrotreated light)

Print Date: 12/04/2012 CS: 1.6.9





Page: 4 of 5

Infosafe No^{TM} LQ0ZJ Issue Date :April 2012 ISSUED by PARCHEMC

Product Name OVATONE LIQUID RELEASER

Classified as hazardous

Vapour Density

>1

(Air=1)

Evaporation Rate

Odour Threshold

Viscosity

Not available

Volatile Component

Not available

Partition Coefficient:

Not available

Partition Coefficient: n-octanol/water

75°C (Closed cup) (Distillates, petroleum, hydrotreated light)

Flammability Combustible.

Auto-Ignition Not available

Temperature

Flash Point

Flammable Limits - 0.5% (Distillates, petroleum, hydrotreated light)

Lower

Flammable Limits - 4.8% (Distillates, petroleum, hydrotreated light)

Upper

10. Stability and reactivity

Chemical Stability Stable under normal conditions of storage and handling.

Incompatible

Materials

Products

Strong oxidising agents.

Hazardous Thermal decomposition may result in the release of toxic and/or irritating

fumes including carbon monoxide and carbon dioxide.

Decomposition

Hazardous Will not occur.

Polymerization

11. Toxicological Information

Toxicology No toxicity data is available for this product.

Information

Inhalation Inhalation of product vapours may cause irritation of the nose, throat and

respiratory system. Prolonged inhalation may cause central nervous system depression with symptoms including dizziness, drowsiness, nausea and

headaches.

Ingestion May be fatal if swallowed and enters airways. Small amounts of liquid

aspirated into the respiratory system during ingestion or from vomiting may cause severe pulmonary injury that may lead to death. May cause irritation to the mouth, throat, esophagus and stomach with symptoms of nausea, abdominal

discomfort, vomiting and diarrhoea.

Skin May be irritating to skin. The symptoms may include redness, itching and

swelling. Repeated exposure may cause skin dryness and cracking and may lead

to dermatitis.

Eye May be irritating to eyes. The symptoms may include redness, itching and

tearing.

Reproductive

Not considered to be toxic to reproduction.

Toxicity
Carcinogenicity

Carcinogenicity Not considered to be a carcinogenic hazard.

 ${\bf Skin \ Sensitisation} \qquad \qquad {\tt Not \ expected \ to \ be \ a \ skin \ sensitiser.}$

Aspiration Hazard May be fatal if swallowed and enters airways.

STOT-single

Not expected to cause toxicity to a specific target organ.

exposure

STOT-repeated Not expected to cause toxicity to a specific target organ.

exposure

Germ cell Not considered to be a mutagenic hazard.

mutagenicity

Print Date: 12/04/2012 CS: 1.6.9





5 of 5 Page:

Infosafe No™ LOOZJ Issue Date : April 2012 ISSUED by PARCHEMC

OVATONE LIQUID RELEASER Product Name

Classified as hazardous

Not expected to be a respiratory sensitiser. Respiratory

sensitisation

12. Ecological information

Ecotoxicity No ecological data are available for this material

Readily biodegradable. Degrades rapidly in air. (Distillates, petroleum, Persistence and

hydrotreated light) degradability

Mobility Floats on water. Highly volatile. (Distillates, petroleum, hydrotreated light)

Bioaccumulative Not available

Potential

Prevent this material entering waterways, drains and sewers. Environmental

Protection

13. Disposal considerations

The disposal of the spilled or waste material must be done in accordance with Disposal

applicable local and national regulations. Considerations

14. Transport information

Road and Rail Transport (ADG Code): **Transport**

Not classified as Dangerous Goods according to the Australian Code for the Information

Transport of Dangerous Goods by Road and Rail. (7th edition)

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International

Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

IMDG Marine

pollutant

Information

15. Regulatory information

Classified as Hazardous according to the Globally Harmonised System of Regulatory

Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia Australia:

Classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule

AICS (Australia) All components of this product are listed on the Australian Inventory of

Chemical Substances (AICS).

16. Other Information

Date of preparation

or last revision of

SDS Contact Person/Point

Technical Support: 1800 812 864

SDS created: April 2012

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 12/04/2012 CS: 1.6.9