

Infosafe No™ LPTDB	Issue Date : February 2013	ISSUED by PARCHEMC
--------------------	----------------------------	--------------------

 Product Name **FOSROC PRIMER 7**

Classified as hazardous

## 1. Identification

<b>GHS Product Identifier</b>	FOSROC PRIMER 7
<b>Company Name</b>	Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)
<b>Address</b>	7 Lucca Road Wyong NSW 2259 Australia
<b>Telephone/Fax Number</b>	Tel: 02 4350 5000 Fax: 02 4351 2024
<b>Emergency phone number</b>	1800 638 556 (available 24/7)
<b>Recommended use of the chemical and restrictions on use</b>	A primer to promote adhesion of sealants.
<b>Other Information</b>	<p>This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.</p> <p>If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.</p> <p><a href="http://www.parchem.com.au">www.parchem.com.au</a></p>

## 2. Hazard Identification

<b>GHS classification of the substance/mixture</b>	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia. Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition) Flammable Liquids: Category 2 Eye Damage/Irritation: Category 2A Sensitization - Respiratory: Category 1 Sensitization - Skin: Category 1 STOT Single Exposure Category 3 (narcotic)
<b>Signal Word (s)</b>	Danger
<b>Hazard Statement (s)</b>	H225 Highly flammable liquid and vapour. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H336 May cause drowsiness or dizziness.
<b>Pictogram (s)</b>	Flame, Exclamation mark, Health hazard



<b>Precautionary statement – Prevention</b>	P102 Keep out of reach of children. P103 Read label before use. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment.
---	---

Infosafe No™ LPTDB	Issue Date : February 2013	ISSUED by PARCHEMC
--------------------	----------------------------	--------------------

 Product Name **FOSROC PRIMER 7**

Classified as hazardous

**Precautionary statement – Response**

P241 Use explosion-proof electrical/ventilating/lighting equipment.  
 P242 Use only non-sparking tools.  
 P243 Take precautionary measures against static discharge.  
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P264 Wash skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/eye protection/face protection.

**GENERAL:**

P101 If medical advice is needed, have product container or label at hand.  
 P312 Call a POISON CENTER or doctor/physician if you feel unwell.  
 P370+P378 In case of fire: Use carbon dioxide, dry chemical or foam for extinction.

**SKIN:**

P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
 P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P362 Take off contaminated clothing and wash before reuse.

**INHALATION:**

P304+P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.  
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

**EYES:**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/attention.

**Precautionary statement – Storage**

P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
 P403+P235: Store in a well-ventilated place. Keep cool.  
 P405 Store locked up.

**Precautionary statement – Disposal**

P501 Dispose of contents/container to an approved waste disposal plant.

### 3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion	Hazard Symbol	Risk Phrase
	Ethyl acetate	141-78-6	30-<60 %		
	Butyl acetate	123-86-4	10-<30 %		
	Benzene,	26426-91-5	10-<30 %		
	2,4-diisocyanato-1-methyl-, polymer with				
	1,6-diisocyanatohexane				
	Toluene-2,4-diisocyanate	584-84-9	<1 %		
	Hexamethylene di-isocyanate	822-06-0	<1 %		
	Toluene	108-88-3	<1 %		
	Ingredients determined not to be hazardous.		Balance		

### 4. First-aid measures

<b>Inhalation</b>	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. Seek medical attention.
<b>Ingestion</b>	Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.
<b>Skin</b>	Remove all contaminated clothing immediately. Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. Seek medical attention.
<b>Eye contact</b>	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.
<b>First Aid Facilities</b>	Eye wash, safety shower and normal washroom facilities.

Infosafe No™ LPTDB	Issue Date : February 2013	ISSUED by PARCHEMC
--------------------	----------------------------	--------------------

 Product Name **FOSROC PRIMER 7**

Classified as hazardous

**Advice to Doctor** Treat symptomatically.

**Other Information** For advice, contact a Poisons Information Centre (Phone eg Australia 131 126; New Zealand 0800 764 766) or a doctor (at once).

## 5. Fire-fighting measures

**Suitable extinguishing media** Use carbon dioxide, dry chemical or foam. Alcohol resistant foam is preferred. If not available normal foam can be used.

**Unsuitable Extinguishing Media** DO NOT USE water jets.

**Hazards from Combustion** Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide and nitrogen oxides.

**Products Specific hazards arising from the chemical** Highly flammable liquid and vapour. Vapour/air mixtures may ignite explosively. Flashback along the vapour trail may occur. Runoff to sewer may create fire or explosion hazard.

**Hazchem Code** •3YE

**Decomposition Temp.** Not available

**Precautions in connection with Fire** Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

## 6. Accidental release measures

**Emergency Procedures** Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

## 7. Handling and storage

**Precautions for Safe Handling** Avoid contact with skin and eyes. Wear overalls, impervious gloves and safety glasses. Use in designated areas with adequate ventilation. Use approved flammable liquid storage containers in the work area. Prevent release of vapours and mists into workplace air. Keep containers closed when not in use. Take precautionary measures against static discharges. Keep material away from sparks, flames and other ignition sources. Do not empty into drains. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands before eating, drinking, smoking or using the toilet facilities.

**Conditions for safe storage, including any incompatibilities** Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all applicable local and national regulations.

## 8. Exposure controls/personal protection

**Occupational exposure limit values** No exposure value assigned for this material by Safe Work, Australia. However, the available exposure limits for ingredients are listed below:  
Safe Work, Australia Exposure Standards:

Substance	TWA	STEL	NOTICES
	ppm	mg/m <sup>3</sup>	ppm
		mg/m <sup>3</sup>	

Infosafe No™ LPTDB	Issue Date : February 2013	ISSUED by PARCHEMC
--------------------	----------------------------	--------------------

 Product Name **FOSROC PRIMER 7**

Classified as hazardous

	Toluene	50	191	150	574	Sk
	Ethyl Acetate	200	720	400	1440	-
	Isocyanates, all(as NCO) -	0.02		-	0.07	Sen
	TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.					
	STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.					
	'Sen' Notice: The substance may cause sensitisation by skin contact or by inhalation.					
<b>Biological Limit Values</b>	Biological Exposure Indices (BEI) from American Conference of Industrial Hygienists (ACGIH) for ingredients are as follows:					
	Determinant	Sampling Time		Biological Exposure		
	Indices (BEI)					
	TOLUENE [108-88-3]					
	o-Cresol in urine	End of shift		0.3mg/g creatinine		
	Toluene in urine	End of shift		0.03 mg/L		
	Toluene in blood	Prior to last shift of work week		0.02 mg/L		
<b>Appropriate engineering controls</b>	Provide sufficient ventilation to keep airborne levels below the exposure limits. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 60079.10.1:2009 Explosive atmospheres - Classification of areas - Explosive gas atmospheres, for further information concerning ventilation requirements.					
<b>Respiratory Protection</b>	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable organic vapour filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.					
<b>Eye Protection</b>	Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.					
<b>Hand Protection</b>	Wear gloves of impervious material, such as laminated film or nitrile. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.					
<b>Body Protection</b>	Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.					

## 9. Physical and chemical properties

<b>Appearance</b>	Straw coloured liquid
<b>Odour</b>	Sweet ester odour
<b>Decomposition Temperature</b>	Not available
<b>Melting Point</b>	Not available
<b>Boiling Point</b>	Not available
<b>Solubility in Water</b>	Insoluble
<b>Specific Gravity</b>	1.03 (23°C)
<b>pH</b>	Not available
<b>Vapour Pressure</b>	Not available
<b>Vapour Density (Air=1)</b>	>1

Infosafe No™ LPTDB	Issue Date : February 2013	ISSUED by PARCHEMC
--------------------	----------------------------	--------------------

 Product Name **FOSROC PRIMER 7**

Classified as hazardous

<b>Evaporation Rate</b>	4.5 (Ethyl acetate)
<b>Odour Threshold</b>	Not available
<b>Viscosity</b>	Not available
<b>Partition Coefficient: n-octanol/water</b>	Not available
<b>Flash Point</b>	-4.5°C (Ethyl acetate) (Closed cup)
<b>Flammability</b>	Highly flammable
<b>Auto-Ignition Temperature</b>	Not available
<b>Flammable Limits - Lower</b>	2.2% (Ethyl acetate)
<b>Flammable Limits - Upper</b>	11.5% (Ethyl acetate)

## 10. Stability and reactivity

<b>Reactivity</b>	Reacts with incompatibles.
<b>Chemical Stability</b>	Stable under normal conditions of storage and handling.
<b>Conditions to Avoid</b>	Heat, flames and other ignition sources.
<b>Incompatible Materials</b>	Strong oxidising agents, amines, alcohols and water.
<b>Hazardous Decomposition Products</b>	Thermal decomposition may result in the release of toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide and nitrogen oxides.
<b>Possibility of hazardous reactions</b>	Reacts with oxidising agents. Exothermic reaction with amines and alcohols and reacts slowly with water liberating carbon dioxide.
<b>Hazardous Polymerization</b>	Will not occur.

## 11. Toxicological Information

<b>Toxicology Information</b>	No toxicity data available for this material.
<b>Ingestion</b>	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
<b>Inhalation</b>	May cause drowsiness or dizziness. May cause irritation to the mucous membrane and upper airways, especially where vapours or mists are generated. Symptoms include sneezing, coughing, wheezing, shortness of breath, headache, dizziness, drowsiness nausea and vomiting.
<b>Skin</b>	May be irritating to skin. The symptoms may include redness, itching and swelling.
<b>Eye</b>	Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.
<b>Respiratory sensitisation</b>	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
<b>Skin Sensitisation</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	Not considered to be a mutagenic hazard.
<b>Carcinogenicity</b>	Not considered to be a carcinogenic hazard.
<b>Reproductive Toxicity</b>	Not considered to be toxic to reproduction.
<b>STOT-single exposure</b>	May cause drowsiness or dizziness.
<b>STOT-repeated exposure</b>	Not expected to cause toxicity to a specific target organ.
<b>Aspiration Hazard</b>	Not expected to be an aspiration hazard.

Infosafe No™ LPTDB	Issue Date : February 2013	ISSUED by PARCHEMC
--------------------	----------------------------	--------------------

Product Name **FOSROC PRIMER 7**

Classified as hazardous

## 12. Ecological information

<b>Ecotoxicity</b>	The monomeric isocyanates, which form a very small part of this product, may be harmful to aquatic organisms with long term adverse effects. The resin (polymeric isocyanate) reacts with water forming polyurea, an insoluble solid.
<b>Persistence and degradability</b>	Not available
<b>Mobility</b>	Not available
<b>Bioaccumulative Potential</b>	Not available
<b>Environmental Protection</b>	Do not discharge this material into waterways, drains and sewers.

## 13. Disposal considerations

<b>Disposal Considerations</b>	Dispose of waste according to applicable local and national regulations. Labels should not be removed from containers until they have been cleaned. Do not cut, puncture or weld on or near containers. Empty containers may contain hazardous residues. Contaminated containers must not be treated as household waste. Containers should be cleaned by appropriate methods and then re-used or disposed of by landfill or incineration as appropriate. Do not incinerate closed containers. Advise flammable nature.
--------------------------------	--

## 14. Transport information

<b>Transport Information</b>	<p>Road and Rail Transport (ADG Code): This material is Dangerous Goods Class 3 - Flammable Liquid according to The Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition) Class 3 - Flammable Liquids are incompatible in a placard load with any of the following: - Class 1, Explosives - Division 2.1, Flammable Gases, (Division 2.1 and Class 3 are incompatible in transport if both are in tanks or other receptacles with a capacity individually exceeding 500 L.) - Division 2.3, Toxic Gases - Division 4.2 Spontaneously Combustible Substances - Division 5.1 Oxidising substances and Division 5.2, Organic Peroxides - Class 6 Toxic or Infectious Substances (where the flammable liquid is nitromethane) - Class 7 Radioactive Substances.</p> <p>Marine Transport (IMO/IMDG): Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea. UN No.: 1866 Proper Shipping Name: RESIN SOLUTION DG Class: 3 Packaging Group: II EMS No.: F-E, S-E</p> <p>Air Transport (ICAO/IATA): Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air. UN No: 1866 Proper Shipping Name: Resin solution Class: 3 Packing Group: II Label: Miscellaneous Packing Instruction: 353 (For passenger and cargo aircraft) Packing Instruction: 364 (For cargo aircraft only) Special provisions: A3</p>
<b>U.N. Number</b>	1866

Infosafe No™ LPTDB	Issue Date : February 2013	ISSUED by PARCHEMC
--------------------	----------------------------	--------------------

Product Name **FOSROC PRIMER 7**

Classified as hazardous

---

<b>UN proper shipping name</b>	RESIN SOLUTION
<b>Transport hazard class(es)</b>	3
<b>Hazchem Code</b>	•3YE
<b>Packing Group</b>	II
<b>EPG Number</b>	3A1
<b>IERG Number</b>	14
<b>IMDG Marine pollutant</b>	No

---

## 15. Regulatory information

---

<b>Regulatory Information</b>	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia. Classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
<b>Poisons Schedule</b>	S6
<b>AICS (Australia)</b>	All components of this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempted.

---

## 16. Other Information

---

<b>Date of preparation or last revision of SDS</b>	SDS Reviewed: February 2013 Supersedes: January 2013
<b>Contact Person/Point</b>	Technical Support: 1800 812 864 ...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.