

Infosafe No™ LQ07A Issue Date : July 2014 ISSUED by PARCHEMD

Product Name : **SLIP RESISTANT ADDITIVE****1. Identification**

GHS Product Identifier SLIP RESISTANT ADDITIVE

Company Name Parchem Construction Supplies Pty Ltd (ABN ABN 80 069 961)

Address 7 Lucca Road Wyong
NSW 2259 Australia

Telephone/Fax Number Tel: 02 4350 5000
Fax: 02 4351 2024

Emergency phone number Australia 1800 638 556 and New Zealand 0800 154 666 (both available 24/7)

Recommended use of the chemical and restrictions on use To increase the slip resistance of sealers on floors.

Additional Information Distributed in New Zealand by:
Concrete Plus
23 Watts Road
Sockburn
New Zealand
Tel: (03) 343 0090
Fax: (03) 343 0202

Other Information Distributed in New Zealand by:
Concrete Plus
23 Watts Road
Sockburn
New Zealand
Tel: (03) 343 0090
Fax: (03) 343 0202

This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

Australia: www.parchem.com.au
New Zealand: www.parchem.co.nz

2. Hazard Identification

Classification of the substance or mixture Australia:
Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia
Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)
New Zealand:
Not classified as Hazardous according to the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001, New Zealand.
Not classified as Dangerous Goods for transport according to the New Zealand Standard NZS 5433:2012 Transport of Dangerous Goods on Land.

3. Composition/information on ingredients

Chemical Characterization Solid

Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
--------------------	--------------------	-------------------	--------------------------

Infosafe No™ LQ07A

Issue Date : July 2014

ISSUED by PARCHEMD

Product Name : **SLIP RESISTANT ADDITIVE**

Preparation Description
Ingredients determined 100 %
not to be hazardous
Product contains Polyethylene.

4. First-aid measures

Inhalation If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

Ingestion Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek medical attention.

Skin Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.
If molten material adheres to skin, do not attempt to remove. Cool with cold water, wrap loosely with bandage or cloth and immediately seek trained medical attention.

Eye contact If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.
Cool eyes rapidly with cold water after contact with molten polymer. Do not attempt to remove molten material. Seek immediate medical attention.

First Aid Facilities Eyewash and normal washroom facilities.

Advice to Doctor Treat symptomatically.

Other Information For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126; New Zealand 0800 POISON / 0800 764 766) or a doctor at once.

5. Fire-fighting measures

Suitable extinguishing media Use carbon dioxide, dry chemical, foam, water mist or water spray.

Hazards from Combustion Products Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide, aldehydes and acetic acid.

Specific hazards arising from the chemical Combustible solid; will readily burn under fire conditions. The finely divided dust, in sufficient quantity, may form flammable/explosive mixtures with air. Dust clouds may present an explosion hazard in the presence of an ignition source.

Decomposition Temp. Not available

Precautions in connection with Fire Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Increase ventilation. Evacuate all unprotected personnel. Do not breathe dust. Wear respiratory protection and full protective clothing to minimise exposure. Sweep up material avoiding dust generation - dampen spilled material with water if suitable to avoid airborne dust, OR where possible use dustless methods such as vacuum to collect the material; then transfer material in to suitable vapour tight labelled containers for subsequent recycling or disposal. Dispose of waste according to applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe Handling Avoid inhalation of dust, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of dust in the work atmosphere. Establish good housekeeping practices. Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds. Maintain high standards of personal hygiene i.e. by

Infosafe No™ LQ07A	Issue Date : July 2014	ISSUED by PARCHEMD
--------------------	------------------------	--------------------

Product Name : **SLIP RESISTANT ADDITIVE**

Conditions for safe storage, including any incompatibilities

washing hands prior to eating, drinking, smoking or using toilet facilities. Store in a well ventilated area away from heat and sources of ignition, out of direct sunlight and moisture. Protect from frost. Take precautions against static electricity discharges. Use proper grounding procedures. Store away from incompatible materials such as materials that support combustion (oxidising materials). Store in suitable, labelled containers. Inspect periodically for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Ensure that storage conditions comply with applicable local and national regulations. For information on the handling of Combustible dusts and grounding procedure reference should be made to Australian Standard AS/NZS 4745.2004 - 'Code of Practice for Handling Combustible Dusts'.

8. Exposure controls/personal protection

Occupational exposure limit values

No exposure value assigned for this material by Safe Work, Australia. However, the available exposure limits for ingredients are listed below:
Safe Work, Australia Exposure Standards:

Substance	TWA		STEL		NOTICES
	ppm	mg/m ³	ppm	mg/m ³	
Dust not otherwise	-	10	-	-	-

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Biological Limit Values

No biological limits allocated.

**Appropriate engineering controls
Respiratory Protection**

Use with good general ventilation. If dust is produced, local exhaust ventilation should be used. If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/particulate filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection

Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection

Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended.

9. Physical and chemical properties

Form	Solid
Appearance	Translucent pellets
Odour	Not available
Decomposition Temperature	Not available
Melting Point	107-130°C
Boiling Point	Not available
Solubility in Water	Negligible
pH	Not available
Vapour Pressure	Not available

Infosafe No™ LQ07A	Issue Date : July 2014	ISSUED by PARCHEMD
--------------------	------------------------	--------------------

Product Name : **SLIP RESISTANT ADDITIVE**

Vapour Density (Air=1)	Not available
Evaporation Rate	Not available
Odour Threshold	Not available
Viscosity	Not available
Partition Coefficient: n-octanol/water	Not available
Density	0.930-0.970g/cm ³
Flash Point	Not available
Flammability	Combustible solid
Auto-Ignition Temperature	Not available
Explosion Limit - Upper	Not available
Explosion Limit - Lower	Not available
Explosion Properties	Not available

10. Stability and reactivity

Reactivity	Reacts with incompatible materials.
Chemical Stability	Stable under normal conditions of storage and handling.
Conditions to Avoid	Dust accumulation, heat and other sources of ignition.
Incompatible Materials	Strong oxidising agents.
Hazardous Decomposition Products	Thermal decomposition may result in the release of toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide, aldehydes and acetic acid.
Hazardous Polymerization	Will not occur.

11. Toxicological Information

Toxicology Information	No toxicology data available for this product.
Ingestion	Ingestion of this product may irritate the gastric tract causing nausea and vomiting.
Inhalation	Inhalation of dusts may irritate the respiratory system. Chronic exposure to this material may aggravate existing respiratory disorders and lung disorders such as bronchitis, emphysema and asthma. Onset and progression are related to dust concentrations and duration of exposure.
Skin	May cause abrasive irritation in contact with the skin, which can result in redness, itching and possible dermatitis. Contact with molten product can cause severe irritation and thermal burns with permanent scarring of tissue.
Eye	Eye contact may cause mechanical irritation. May result in mild abrasion. Contact with molten product can cause severe irritation and thermal burns with permanent scarring of tissue.
Respiratory sensitisation	Not expected to be a respiratory sensitiser.
Skin Sensitisation	Not expected to be a skin sensitiser.
Germ cell mutagenicity	Not considered to be a mutagenic hazard.
Carcinogenicity	Not considered to be a carcinogenic hazard. Polyethylene is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).
Reproductive Toxicity	Not considered to be toxic to reproduction.

Infosafe No™ LQ07A	Issue Date : July 2014	ISSUED by PARCHEMD
--------------------	------------------------	--------------------

Product Name : **SLIP RESISTANT ADDITIVE**

STOT-single exposure	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard	Not considered to be an aspiration hazard.

12. Ecological information

Ecotoxicity	No ecological data are available for this material.
Persistence and degradability	Not available
Mobility	Not available
Bioaccumulative Potential	Not available
Other Adverse Effects	Not available
Environmental Protection	Prevent this material entering waterways, drains and sewers.

13. Disposal considerations

Disposal Considerations	The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.
--------------------------------	--

14. Transport information

Transport Information	Road and Rail Transport Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).
	Marine Transport (IMO/IMDG): Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
	Air Transport (ICAO/IATA): Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
IMDG Marine pollutant	No

15. Regulatory information

Regulatory Information	Australia: Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia. Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)
Poisons Schedule	Not Scheduled
National and or International Regulatory Information	New Zealand: Not classified as Hazardous according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001. Not classified as Dangerous Goods for transport according to the NZS 5433:2012 Transport of Dangerous Goods on Land.

16. Other Information

Date of preparation or last revision of SDS	SDS Reviewed: July 2014 MSDS Supersedes: August 2011
Literature References	Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice. Standard for the Uniform Scheduling of Medicines and Poisons. Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals. Workplace exposure standards for airborne contaminants, Safe work Australia.

Infosafe No™ LQ07A

Issue Date : July 2014

ISSUED by PARCHEMD

Product Name : **SLIP RESISTANT ADDITIVE**

**Contact
Person/Point**

American Conference of Industrial Hygienists (ACGIH).
Globally Harmonised System of classification and labelling of chemicals.
Technical Support: 1800 812 864

...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.