

| | | |
|--------------------|----------------------------|--------------------|
| Infosafe No™ LPX1H | Issue Date : November 2012 | ISSUED by PARCHEMC |
|--------------------|----------------------------|--------------------|

Product Name : **SURE-STOP**

Not classified as hazardous

1. Identification

| | |
|--|---|
| GHS Product Identifier | SURE-STOP |
| Company Name | Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968) |
| Address | 7 Lucca Road Wyong NSW 2259 Australia |
| Telephone/Fax Number | Tel: 02 4350 5000 Fax: 02 4351 2024 |
| Emergency phone number | 1800 638 556 (available 24/7) |
| Recommended use of the chemical and restrictions on use | PVC waterstop. Internal and external profiles for cast-in-situ concrete. |
| Other Information | <p>This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.</p> <p>If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.</p> <p>www.parchem.com.au</p> |

2. Hazard Identification

| | |
|--|--|
| GHS classification of the substance/mixture | <p>Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.</p> <p>Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)</p> |
|--|--|

3. Composition/information on ingredients

| Ingredients | Name | CAS | Proportion |
|-------------|--|-----|------------|
| | Ingredients determined not to be hazardous | | 100 % |

4. First-aid measures

| | |
|-----------------------------|--|
| Inhalation | Product is unlikely to cause harm in its current state. However, dust may be generated during cutting and sanding. If dust inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms persist seek medical attention. |
| Ingestion | Product is unlikely to cause harm in its current state. However, dust may be generated during cutting and sanding. If dust is ingested, do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek medical attention. |
| Skin | Product is unlikely to cause harm in its current state. However, dust may be generated during cutting and sanding. If skin is exposed to dust wash affected area thoroughly with soap and water. If symptoms develop seek medical attention. When heated, if molten material adheres to skin, do not attempt to remove. Cool with cold water, wrap loosely with bandage or cloth and immediately seek trained medical attention. |
| Eye contact | Product is unlikely to cause harm in its current state. However, dust may be generated during cutting and sanding. If dust in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and persist seek medical attention. |
| First Aid Facilities | Eyewash and normal washroom facilities. |

| | | |
|--------------------|----------------------------|--------------------|
| Infosafe No™ LPX1H | Issue Date : November 2012 | ISSUED by PARCHEMC |
|--------------------|----------------------------|--------------------|

Product Name : **SURE-STOP**

Not classified as hazardous

Advice to Doctor Treat symptomatically.

Other Information For advice in an emergency, contact a Poisons Information Centre (Phone Australia 13 1126; New Zealand 0800 POISON / 0800 764 766) or a doctor at once.

5. Fire-fighting measures

Suitable extinguishing media Use carbon dioxide, dry chemical, foam, water mist or water spray.

Hazards from Combustion Products Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide, carbon dioxide and hydrogen chloride gas.

Specific hazards arising from the chemical Combustible solid. This product will burn if exposed to fire. This product in sufficient quantity and reduced particle size is capable of creating a dust explosion.

Decomposition Temp. Not available

Precautions in connection with Fire Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. Accidental release measures

Emergency Procedures Remove all sources of ignition. Increase ventilation. Evacuate all unprotected personnel. Do not breathe dust. Wear respiratory protection and full protective clothing to minimise exposure. Sweep up material avoiding dust generation - dampen spilled material with water if suitable to avoid airborne dust, OR where possible use dustless methods such as vacuum to collect the material; then transfer material in to suitable vapour tight labelled containers for subsequent recycling or disposal. Dispose of waste according to applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe Handling Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of dust in the work atmosphere. Avoid inhalation of dust, and skin or eye contact. Establish good housekeeping practices. Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatibilities Store in a well ventilated area away from heat and sources of ignition, out of direct sunlight and moisture. Take precautions against static electricity discharges. Use proper grounding procedures. Store away from incompatible materials such as materials that support combustion (oxidising materials). Store in suitable, labelled containers. Inspect periodically for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. For information on the handling of Combustible dusts and grounding procedure reference should be made to Australian Standard AS/NZS 4745.2004 - 'Code of Practice for Handling Combustible Dusts'.

8. Exposure controls/personal protection

Occupational exposure limit values No exposure value assigned for this specific material by Safe Work, Australia. However, over-exposure to any chemical may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels. The available exposure limits for ingredients are listed below:

| Substance | TWA | | STEL | | NOTICES |
|----------------------------|-----|-------------------|------|-------------------|---------|
| | ppm | mg/m ³ | ppm | mg/m ³ | |
| Dust (inspirable fraction) | - | 10 | - | - | - |

TWA (Time Weighted Average): The average airborne concentration of a

Infosafe No™ LPX1H

Issue Date : November 2012

ISSUED by PARCHEMC

Product Name : **SURE-STOP**

Not classified as hazardous

particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

No biological limit allocated.

Biological Limit Values

Appropriate engineering controls

This product may generate dust during cutting and sanding. Good ventilation adequate to maintain the concentration below exposure standards is required. The use of a local exhaust ventilation system (drawing dusts away from workers breathing zone) is recommended. If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn.

Respiratory Protection

This product may generate dust during cutting and sanding. If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable particulate filter should be used. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection

This product may generate dust during cutting and sanding. Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection

This product may generate dust during cutting and sanding. Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1:

Occupational protective gloves - Selection, use and maintenance.

Body Protection

Suitable protective workwear should be worn when working with this material, e.g. cotton overalls buttoned at neck and wrist.

9. Physical and chemical properties

| | |
|---|----------------|
| Appearance | Pallet/granule |
| Odour | Odourless |
| Decomposition Temperature | Not available |
| Melting Point | 140-170°C |
| Boiling Point | Not available |
| Solubility in Water | Insoluble |
| Specific Gravity | 1.10-1.50 |
| pH | Not available |
| Vapour Pressure | Not available |
| Vapour Density (Air=1) | Not available |
| Evaporation Rate | Not available |
| Odour Threshold | Not available |
| Viscosity | Not available |
| Partition Coefficient: n-octanol/water | Not available |
| Flash Point | Not available |
| Flammability | Non-flammable |
| Auto-Ignition Temperature | Not available |

| | | |
|--------------------|----------------------------|--------------------|
| Infosafe No™ LPX1H | Issue Date : November 2012 | ISSUED by PARCHEMC |
|--------------------|----------------------------|--------------------|

Product Name : **SURE-STOP**

Not classified as hazardous

Explosion Limit - Upper Not available
Explosion Limit - Lower Not available

10. Stability and reactivity

Reactivity Reacts with incompatibles.

Chemical Stability Stable under normal conditions of storage and handling. Stable up to 200°C.

Conditions to Avoid Heat, flames and other sources of ignition.

Incompatible Materials Avoid contact with acetal or acetal copolymers in elevated temperature processing equipment. The two materials are not compatible and will react in a violent decomposition when mixed under conditions of heat and pressure.

Hazardous Decomposition Products Heating for cutting or welding of this product may emit toxic and / or irritating fumes including carbon monoxide, carbon dioxide and hydrogen chloride gas.

Hazardous Polymerization Will not occur.

11. Toxicological Information

Toxicology Information No toxicity data is available for this material.

Ingestion Product is unlikely to cause harm in its current state. However, dust may be generated during cutting and sanding. Ingestion of dust may irritate the gastric tract causing nausea and vomiting.

Inhalation Product is unlikely to cause harm in its current state. However, dust may be generated during cutting and sanding. Inhalation of dusts may irritate the respiratory system.

Skin Product is unlikely to cause harm in its current state. However, dust may be generated during cutting and sanding. Skin contact with dust may cause mechanical irritation resulting in redness and itching. Contact with molten product can cause severe irritation and thermal burns with permanent scarring of tissue.

Eye Product is unlikely to cause harm in its current state. However, dust may be generated during cutting and sanding. Eye contact with dust may cause mechanical irritation. May result in mild abrasion.

Respiratory sensitisation Not expected to be a respiratory sensitiser.

Skin Sensitisation Not expected to be a skin sensitiser.

Germ cell mutagenicity Not considered to be a mutagenic hazard.

Carcinogenicity Not considered to be a carcinogenic hazard.

Reproductive Toxicity Not considered to be toxic to reproduction.

STOT-single exposure Not expected to cause toxicity to a specific target organ.

STOT-repeated exposure Not expected to cause toxicity to a specific target organ.

Aspiration Hazard Not expected to be an aspiration hazard.

12. Ecological information

Ecotoxicity No ecological data are available for this material.

Persistence and degradability Not available

Mobility Not available

Bioaccumulative Potential Not available

| | | |
|--------------------|----------------------------|--------------------|
| Infosafe No™ LPX1H | Issue Date : November 2012 | ISSUED by PARCHEMC |
|--------------------|----------------------------|--------------------|

Product Name : **SURE-STOP**

Not classified as hazardous

Environmental Protection Prevent this material entering waterways, drains and sewers.

13. Disposal considerations

Disposal Considerations Dispose of waste according to applicable local and national regulations.

14. Transport information

Transport Information Road and Rail Transport (ADG Code):
Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):
Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):
Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

IMDG Marine pollutant No

15. Regulatory information

Regulatory Information Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Poisons Schedule Not Scheduled
AICS (Australia) All components of this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempted.

16. Other Information

Date of preparation or last revision of SDS SDS Reviewed: November 2012
Supersedes: January 2008
Contact Person/Point Technical Support: 1800 812 864
...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.