

Infosafe No™ LPTEM Issue Date : September 2013 ISSUED by PARCHEMC

Product Name : **VANDEX ELASTICIZER PK 75**

## 1. Identification

**GHS Product Identifier** VANDEX ELASTICIZER PK 75**Company Name** Parchem Construction Supplies Pty Ltd (ABN 80 069 961 968)**Address** 7 Lucca Road Wyong  
NSW 2259 Australia**Telephone/Fax Number** Tel: 02 4350 5000  
Fax: 02 4351 2024**Emergency phone number** 1800 638 556 (available 24/7)**Recommended use of the chemical and restrictions on use** Waterproofing of concrete.**Other Information**

This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Parchem Construction Supplies Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company. Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

[www.parchem.com.au](http://www.parchem.com.au)

## 2. Hazard Identification

**GHS classification of the substance/mixture** Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

## 3. Composition/information on ingredients

**Information on Composition** The product is a water-based polymer dispersion.

<b>Ingredients</b>	<b>Name</b>	<b>CAS</b>	<b>Proportion</b>
	Ingredients determined not to be hazardous		100 %

## 4. First-aid measures

**Inhalation** If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.**Ingestion** Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.**Skin** Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.**Eye contact** If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Remove contact lenses. If symptoms develop and/or persist seek medical attention.**First Aid Facilities** Eye wash station and normal washroom facilities.**Advice to Doctor** Treat symptomatically.**Other Information** For advice in an emergency, contact a Poisons Information Centre (Phone Australia 13 1126; New Zealand 0800 POISON / 0800 764 766) or a doctor at once.

## 5. Fire-fighting measures

Infosafe No™ LPTEM	Issue Date : September 2013	ISSUED by PARCHEMC
--------------------	-----------------------------	--------------------

Product Name : **VANDEX ELASTICIZER PK 75**

<b>Suitable extinguishing media</b>	Use water spray, fog, carbon dioxide, foam or dry chemical
<b>Hazards from Combustion Products</b>	Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases.
<b>Specific hazards arising from the chemical</b>	This product is non-combustible. However, following evaporation of aqueous component under fire conditions, the non-aqueous component may decompose and/or burn. As a water based product, if spilt on electrical equipment the product will cause short-circuits.
<b>Decomposition Temp.</b>	Not available
<b>Precautions in connection with Fire</b>	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes or products of combustion. Water spray may be used to cool down heat-exposed containers.

## 6. Accidental release measures

<b>Emergency Procedures</b>	Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations. Note: The polymer may adhere securely to most surfaces when spilt. It may be scraped off after softening with hot water and removed with a high pressure water jet.
-----------------------------	--

## 7. Handling and storage

<b>Precautions for Safe Handling</b>	Avoid contact with skin and eyes. Wear overalls, impervious gloves and safety glasses. Use only in well ventilated areas. Avoid breathing vapour or spray mist. Keep containers closed when not in use. Do not empty into drains. Maintain a high level of personal hygiene when using the product, that is, always wash hands after handling, and before eating, drinking, smoking or using the toilet facilities.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in a cool, dry, well ventilated area away from oxidising agents, acids and bases. Protect from freezing. Ideal storage between 5°C and 35°C. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks.

## 8. Exposure controls/personal protection

<b>Occupational exposure limit values</b>	No exposure standards have been established for this material by Safe Work, Australia. However, over-exposure to some chemicals may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions and should be kept to the least possible levels.
<b>Biological Limit Values</b>	No biological limits allocated.
<b>Appropriate engineering controls</b>	Provide sufficient ventilation to keep airborne levels as low as possible. Where natural ventilation is inadequate, and vapours or mists are generated, a local exhaust ventilation system, drawing vapours/mists away from workers' breathing zone, is required.
<b>Respiratory Protection</b>	If engineering controls are not effective in controlling airborne exposure then an approved respirator with a particulate/mist filter should be used. Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
<b>Eye Protection</b>	Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
<b>Hand Protection</b>	Wear rubber, latex, neoprene or other suitable, impervious gloves. Final choice of appropriate gloves will vary according to individual circumstances

Infosafe No™ LPTEM Issue Date : September 2013 ISSUED by PARCHEMC

Product Name : **VANDEX ELASTICIZER PK 75****Body Protection**

i.e. methods of handling or according to risk assessments undertaken.  
Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.  
Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist.  
Industrial clothing should conform to the specifications detailed in AS/NZS 2919: Industrial clothing.

**9. Physical and chemical properties**

<b>Appearance</b>	Aqueous liquid dispersion.
<b>Colour</b>	White
<b>Odour</b>	Slightly aromatic
<b>Decomposition Temperature</b>	Not available
<b>Melting Point</b>	Not available
<b>Boiling Point</b>	100°C
<b>Solubility in Water</b>	Miscible
<b>pH</b>	6-7
<b>Vapour Pressure</b>	Not available
<b>Vapour Density (Air=1)</b>	Not available
<b>Evaporation Rate</b>	<1 (n-Butyl acetate=1)
<b>Odour Threshold</b>	Not available
<b>Viscosity</b>	Not available
<b>Partition Coefficient: n-octanol/water</b>	Not available
<b>Density</b>	1.08 kg/L (approximate)
<b>Flash Point</b>	Not applicable (water-based product, not combustible)
<b>Flammability</b>	Non-combustible liquid
<b>Auto-Ignition Temperature</b>	Not applicable
<b>Flammable Limits - Lower</b>	Not applicable
<b>Flammable Limits - Upper</b>	Not applicable

**10. Stability and reactivity**

<b>Reactivity</b>	Will react with incompatible materials.
<b>Chemical Stability</b>	Stable under normal conditions of storage and handling.
<b>Conditions to Avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatible Materials</b>	Strong oxidising agents, strong acids and bases.
<b>Hazardous Decomposition Products</b>	Thermal decomposition may result in the release of toxic and/or irritating fumes.
<b>Hazardous Polymerization</b>	Will not occur.

**11. Toxicological Information**

<b>Toxicology Information</b>	No toxicity data available for this product.
<b>Ingestion</b>	Ingestion of this product may irritate the gastric tract, causing nausea and vomiting.

Infosafe No™ LPTEM Issue Date : September 2013 ISSUED by PARCHEMC

Product Name : **VANDEX ELASTICIZER PK 75**

<b>Inhalation</b>	Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.
<b>Skin</b>	Repeated or prolonged exposure may be irritating to skin.
<b>Eye</b>	May be irritating to eyes. May cause stinging, redness and tearing of the eyes.
<b>Respiratory sensitisation</b>	Not expected to be a respiratory sensitiser.
<b>Skin Sensitisation</b>	Not expected to be a skin sensitiser.
<b>Germ cell mutagenicity</b>	Not considered to be a mutagenic hazard.
<b>Carcinogenicity</b>	Not considered to be a carcinogenic hazard.
<b>Reproductive Toxicity</b>	Not considered to be toxic to reproduction.
<b>STOT-single exposure</b>	Not expected to cause toxicity to a specific target organ.
<b>STOT-repeated exposure</b>	Not expected to cause toxicity to a specific target organ.
<b>Aspiration Hazard</b>	Not expected to be an aspiration hazard.

## 12. Ecological information

<b>Ecotoxicity</b>	Not available
<b>Persistence and degradability</b>	Not available
<b>Mobility</b>	Not available
<b>Bioaccumulative Potential</b>	Not available
<b>Environmental Protection</b>	Do not discharge the product into drains, waterways or sewers.

## 13. Disposal considerations

<b>Disposal Considerations</b>	The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.
--------------------------------	--

## 14. Transport information

<b>Transport Information</b>	Road and Rail Transport (ADG Code): Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).
	Marine Transport (IMO/IMDG): Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
	Air Transport (ICAO/IATA): Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
<b>IMDG Marine pollutant</b>	No

## 15. Regulatory information

<b>Regulatory Information</b>	Not classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia
	Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
<b>Poisons Schedule</b>	Not Scheduled
<b>AICS (Australia)</b>	All components of this product are listed on the Australian Inventory of Chemical Substances (AICS) or otherwise are in compliance with NICNAS requirements.

## 16. Other Information

Infosafe No™ LPTEM Issue Date : September 2013 ISSUED by PARCHEMC

Product Name : **VANDEX ELASTICIZER PK 75**

---

**Date of preparation or last revision of SDS** SDS Reviewed: September 2013  
Supersedes: September 2004, September 2009

**Literature References** Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.  
Standard for the Uniform Scheduling of Medicines and Poisons.  
Australian Code for the Transport of Dangerous Goods by Road & Rail.  
Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.  
Workplace exposure standards for airborne contaminants, Safe work Australia.  
American Conference of Industrial Hygienists (ACGIH).  
Globally Harmonised System of classification and labelling of chemicals.

**Contact Person/Point** Technical Support: 1800 812 864  
...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.  
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.